

FOREST[®]

DRAPERY HARDWARE




CCC[®]
Corded Contract System

Product information

- Heavy duty cord operated system, with separate internal cord channels; preventing cord sag and eliminating cord tangle.
- Bendable; it can be curved and reversed curved with a 20 cm (8") radius or continuous curve.
- Heavy duty clickable carriers - 10 carriers on a breakaway strip - UV protected.
- Can also be used for Forest Easyfold and accordiafold drapery systems.
- Maximum fabric weight: 8 kg. per mtr (5,3 LBS per ft).
- Colours available: white, silver.
- Track finish: chromated powder coating with a factory applied patented dry lubricant.
- Lengths available: 3.66 m (12'), 4.27 m (14'), 4.88 m (16'), 6.10 m (20').

Profile


- Shown actual size 1:1
- Aluminium Extrusion
- Weight: 300 gram per mtr (3.22 ounce per ft)
- Dimensions: 20 mm x 20 mm (3/4" x 3/4")



For use in

Hotels - motels - offices - healthcare - schools - residential or any location where a heavy duty cord traverse system is required.


Applications



Bending/curving

The track can be curved and reversed curved using a 20 cm (8") radius. Continuous curving can be done with the electric powered bender or by special order from factory.






Adjustable Wall Bracket
Smart klick, adjustable single from
7,5 cm (3") to 11,5 cm (4.5")

10208..115
100/box

double from 6,5 cm (2,5")
to 10 cm (4") - 15 cm (6")
to 19,5 cm (7,5")

10208..195
50/box




Aluminium Wall Bracket
Smart klick, powder coated.

10203.. ...cm

7,5 cm single	(3")	20/box
10 cm single	(4")	20/box
15 cm double	(6")	15/box
20 cm double	(8")	15/box
25 cm triple	(10")	10/box

Colours: 01, 03.




Contract Bending tool
For CS/CCS/FMS/CRS/MTS

2560000000
1/each


CS/CCS/FMS Bending Wheel

2561000000
1/each




CCS Bending Strips
For CCS track, length: 90 cm (35,4")
1/set

For CCS electric powered bender.
Length 7 meter (23').
8500000010
1/each



Bending Standard
Standard for Contract
bending tool

2560800000
1/each




Electric Powered Bender
Available in 230V or 115V, to create
continuous curves and arches.
Minimum radius 50 cm (20").

1060500000
1/box



Bending Wheels
For Electric Powered Bender.
Complete set of 3 wheels.

2560700000
1/set



Electric Powered Railcutter
230 Volt EU

1061100000

Replacement Blade
For electric powered railcutter.

1061200000
1/each

Distributor:

FOREST
DRAPERY HARDWARE

Download
Forest brochures

