



FOREST EASYFOLD Series

The Forest Easyfold Series is an additional feature to the existing drapery hardware of Forest Group. It can be installed onto all main Forest curtain track systems and gives a special round and fluent design on a curtain.

FOREST EASYSNAP
FOREST EASYFLEX
FOREST EASYWAVE

THE WORLD
BEHIND
YOUR
CURTAINS



FOREST WAVE SERIES

Easysnap
tape application
on KS rail

Easyflex
tape application on DS rail

Give a
**modern
and special
folding
design** to
your
curtains


INTRODUCTION


THE FOREST WAVE SERIES ARE AN ADDITIONAL FEATURE OF THE DRAPERY HARDWARE SYSTEMS OF FOREST GROUP. IT COMPLIES FULLY WITH THE CONTEMPORARY DEMAND FOR ROUND AND FLUENT SHAPES IN DECORATIVE INTERIORS.

IT OFFERS NEW POSSIBILITIES FOR APPLICATIONS IN LARGE AND HIGH SPACES, SUCH AS LOBBIES, ENTREES, RECEPTION AREAS, CONFERENCE ROOMS, AUDITORIUMS, MEETING ROOMS, FOOD AND BEVERAGE OUTLETS ETC.

THE SYSTEM CAN BE INSTALLED ONTO ALL FOREST MANUAL, CORDED (EXCEPT CKS) AND MOTORISED TRACKS AND CURTAIN ROD SYSTEMS AND GIVES A MODERN AND SPECIAL FOLDING DESIGN TO THE CURTAIN.

SUCH A MODERN CURTAIN HEADING SYSTEM COMBINED WITH A SUITABLE FABRIC IS GUARANTEED TO BE A REAL EYE-CATCHER IN EVERY ROOM.






The system is designed so that the curtains **maintain their folding effect** from the moment they are dressed



Easyflex
tape application on DS-XL rail

WHAT MAKES THE FOREST WAVE SYSTEM SO UNIQUE?

- » The smooth folding effect is always maintained whether the curtains are open or closed.
- » The system is designed so that the curtains maintain their folding effect from the moment they are dressed.
- » The simple, yet stylish design makes the curtains easier to make up.
- » The wave heading stacks back neatly, taking up less space than traditional pleated headings.
- » The glider-cord is not visible when the curtain is fully closed.
- » Easy to take down and re-hang thanks to its detachable carrier-base.
- » Depending on the fullness selected the Easyfold system can be more economical than more traditional curtains. (up to 33% compared to a regular pencil pleat curtain)
- » Can also be used in horizontally-curved tracks. Examples of how Forest tracks can be bent in different situations:




HOW DOES THE FOREST WAVE SYSTEM WORK?

- » The system is available in two types; **Easysnap with metal snaps** already fixed on the heading tape at a fixed distance, in combination with double sided Easysnap carriers; **Easyflex with pockets on the heading tape**, allowing for a flexible positioning of the hooks, in combination with Easyflex carriers.
- » Specially designed interconnected-gliders are contained within the curtain track.
- » This connection cord limits the extension of the curtain fabric, creating a smooth and continuous folding effect. When opened, the system enables the curtains to stack back neatly and straight.
- » Depending on the fabric type, a regular iron-on hem tape can be used with the Easyfold Tape at the top of the curtain to maintain a smooth appearance.
- » Transparent Easyflex tape with pockets allows for completely variable folds and any fullness desired, from 150% to 350%!
- » Easysnap Tape available in: white, black and transparent, in 10 cm and 15 cm spacing. Fullness options 180%, 200%, 270% and 300%.
- » Both Easysnap and Easyflex can be applied on most Forest curtain track systems.

WAVE CARRIER AND TAPE REQUIREMENTS

	1 meter	2 meter	3 meter	4 meter	5 meter	6 meter	7 meter
	Qty	Qty	Qty	Qty	Qty	Qty	Qty
60%							
WAVE BASE CARRIERS 60%, CARRIER DISTANCE 8,0 CM	16 carriers	28 carriers	40 carriers	52 carriers	66 carriers	78 carriers	90 carriers
EASYFLEX TAPE 10 CM WAVE DEPTH / EASYSNAP REGULAR TAPE	160 cm	280 cm	400 cm	520 cm	660 cm	780 cm	900 cm
EASYFLEX TAPE 15 CM WAVE DEPTH / EASYSNAP XL TAPE	240 cm	420 cm	600 cm	780 cm	990 cm	1170 cm	1350 cm
EASYFLEX TAPE 20 CM WAVE DEPTH	320 cm	560 cm	800 cm	1040 cm	1320 cm	1560 cm	1800 cm
CURTAIN STACKING IN OPEN POSITION	23 cm	40 cm	56 cm	74 cm	93 cm	110 cm	127 cm
80%							
WAVE BASE CARRIERS 80%, CARRIER DISTANCE 6,0 CM	20 carriers	36 carriers	52 carriers	70 carriers	86 carriers	102 carriers	120 carriers
EASYFLEX TAPE 10 CM WAVE DEPTH / EASYSNAP REGULAR TAPE	200 cm	360 cm	520 cm	700 cm	860 cm	1020 cm	1200 cm
EASYFLEX TAPE 15 CM WAVE DEPTH / EASYSNAP XL TAPE	300 cm	540 cm	780 cm	1050 cm	1290 cm	1530 cm	1800 cm
EASYFLEX TAPE 20 CM WAVE DEPTH	400 cm	720 cm	1040 cm	1400 cm	1720 cm	2040 cm	2400 cm
CURTAIN STACKING IN OPEN POSITION	26 cm	51 cm	75 cm	100 cm	122 cm	144 cm	168 cm
100%							
WAVE BASE CARRIERS 100%, CARRIER DISTANCE 5,4 CM	22 carriers	40 carriers	58 carriers	78 carriers	96 carriers	114 carriers	132 carriers
EASYFLEX TAPE 10 CM WAVE DEPTH / EASYSNAP REGULAR TAPE	220 cm	400 cm	580 cm	780 cm	960 cm	1140 cm	1320 cm
EASYFLEX TAPE 15 CM WAVE DEPTH / EASYSNAP XL TAPE	330 cm	600 cm	870 cm	1170 cm	1440 cm	1710 cm	1980 cm
EASYFLEX TAPE 20 CM WAVE DEPTH	440 cm	800 cm	1160 cm	1560 cm	1920 cm	2280 cm	2640 cm
CURTAIN STACKING IN OPEN POSITION	30 cm	57 cm	82 cm	110 cm	136 cm	162 cm	186 cm



60% = 8,0 cm carrier distance
80% = 6,0 cm carrier distance
100% = 5,4 cm carrier distance



Wave depth 10,75 cm or 15,75 cm with Easysnap tape and carriers. Ceiling space required 10,75 cm or 15,75.

Wave depth fully variable with Easyflex tape and carriers. Ceiling space required is equal to the spacing between the hook placement in the Easyflex tape.

WORKROOM INSTRUCTIONS

Forest Group understands that many workrooms will have their own method of manufacturing curtains. This guide is intended to give you a suggested make up method so you get the best from the Forest Group Wave system. When using your own fabrics we suggest that sample curtains are made to determine whether;

1. It is suitable for use with Wave, and,
2. If so, which size of Fold is most appropriate.
3. How many Wave carriers are exactly required to make up a particular size track.

In general, stiffer fabrics tend not to lend themselves well to a wave pleat since they struggle to hold the soft curves for the drop of the curtain.

Once you have confirmed your fabric is suitable you may want to consider using lead weight tape and curtain side weights for an improved finished appearance. The maximum weight that the standard Easysnap and Easyflex tape can carry is 10 kg per meter of track. However, individual track weight restrictions still apply. Easysnap Roller and Easyflex Roller have much higher weight limitations, consult the catalogue to see individual system weight graphs. This guide is based on using the recommended wave component parts detailed in this brochure.

FOREST EASYFLEX

The Easyflex wave solution works with a 7,7 cm high transparent tape with pockets, one roll of 100 meters has two lines of pockets on the top and the bottom of the tape. In the pockets you can fit the Easyflex hooks, which are the lower part of the Easyflex carriers. The carriers are available in 60% (8,0 cm), 80% (6,0 cm) and 100 % (5,4 cm) width. Easyflex endhooks are used to connect the curtain to the master carriers. The base of the first master carrier can be fixed onto the master carrier, to make sure the master carrier takes the curtain along with it.

FOREST EASYSNAP

The Easysnap wave solution works with a range of snap tapes, in white, black or transparent versions. The stainless steel snaps are placed at fixed distances in the tape, with a distance from center to center of 10,75 or 15,75 cm. The carriers are available in 60% (8,0 cm), 80% (6,0 cm) and 100 % (5,4 cm) width. The snaptool can be used to add snaps to the tape wherever required, for increased stability to the curtain when fixing it on an overlap arm or return pulley. The base of the first master carrier can be fixed onto the master carrier, to make sure the master carrier takes the curtain along with it.



FOREST WAVE SERIES

TRACK OPTIONS

The Forest Wave System can be installed onto all Forest Manual, Corded (except CKS) and Motorised tracks and curtain rod systems.

For specific wave-parts of the Forest curtain track system you would like to use please refer to the relevant Forest track brochure.



FOR USE IN

Hotel, motels, residences, hospitals, restaurants or at any location where a continuous, gentle fold drapery is requested.

HOOK FITTER TOOL

The Hook fitter tool is simple and easy to use, but almost a must when fitting any drapery. No more endless counting pockets in the workroom. By using the Forest Hook Fitter Tool, you are saving valuable time while adding accuracy and efficiency.



ONLINE EASYFLEX CALCULATION TOOL

On the Forest website it is possible to calculate your requirements of Easyflex carriers and Easyflex tape for certain track sizes.

By completing the online form you will know how many carriers are required for a certain track size, with matching heading tape, finally summarized by the curtain fullness that will be achieved. To start your calculation go to www.forestgroup.com. Choose 'Services'. Under tools you will find the Easyflex Calculation tool.



EASYWAVE	EASYFLEX	EASYSNAP	GENERAL FES COMPONENTS	ARTICLE	PACKING UNIT		ART.NR
●	●			EASYFLEX / WAVE TAPE 77MM SINGLE POCKET	100mtr/roll	transparent	4810700017
				EASYFLEX / WAVE TAPE 77MM DOUBLE POCKET	100mtr/roll	transparent black	4810700016 4810706016
				WAVE BASE 60%	500/roll	white black	4812001060 4812006060
	●	●		WAVE BASE 80%	500/roll	white black	4812001080 4812006080
				WAVE BASE 100%	500/roll	white black	4812001100 4812006100
	●	●		WAVE ROLLER BASE 60%, 8,0 cm Can only be used in CS and FMS Dual	500/roll	white	4812001260
				WAVE ROLLER BASE 80%, 6,03 cm Can only be used in CS and FMS Dual	500/roll	white	4812001280
	●			EASYFLEX HOOK	500/roll	white black	4812801000 4812806000
		●		EASYSNAP PENDANT FOR CURTAIN HOOK	500/box	white black	4812001001 4812006001
●				SQUARE EASYWAVE CARRIER 60%	1000/roll	white black	4812301060 4812306060
				SQUARE EASYWAVE CARRIER 80%	1000/roll	white black	4812301080 4812306080
				SQUARE EASYWAVE CARRIER 100%	1000/roll	white	4812301100
	●			EASYFLEX END HOOK End hook for Easyflex: for usage on master carrier and pulley	1000/box	white black	4812801010 4812806010
●				EASYWAVE HOOK End hook for Easywave. Extra stable because of bridge.	1000/box	white black	4812301000 4812306000
		●		WAVE TAPE Regular spacing, 10,75cm, 850 snaps on a roll	91,44mtr/roll	normal white heavy-duty white normal black transparent	4810900000 4810900010 4810800000 4810700000
				WAVE TAPE Heavy-duty XL, 15,75cm, 580 snaps on a roll		white transparent	4810900015 4810700015
		●		EASYSNAP 2 SIDED CARRIER To be used in combination with FES BASE	500/box	white black	4812001000 4812006000
		●		EASYSNAP METAL MALE SNAPS	1000/box	white	4810900001
				EASYSNAP METAL FEMALE SNAPS	1000/box		4810900002
				EASYSNAP METAL RIVAT BACK for male/female snaps	1000/box		4810900003
		●		EASYSNAP TOOL with moulds	piece	white	4870900000
●	●			EASYFLEX HOOK FITTER Tool to count the pockets	piece		9900000017

All other specific track components for wave can be found in the relevant Forest track brochure.

EXPERIENCE AND QUALITY

The introduction of the world's first clickable curtain track system KS® Klick System and the Smart Klick® technology was the starting point for Forest Group to become one of the world's most reputable manufacturers of high end window treatment solutions. Over 30 years later Forest Group curtain track systems still represent the industry's standard due to ongoing innovation and constant focus on the highest quality.

WARRANTY

Whether sophisticated electric curtain systems, decorative channel rod systems or plain tracks, the combination of high end materials and precise manufacturing make it possible for Forest Group to provide a 10 year warranty.

Go to our website
forestgroup.com



PRODUCT BROCHURES - TECHNICAL SHEETS - REFERENCES - VIDEOS
PRODUCT ADVISOR - MEASURE AND CHECK TOOL - EASYFLEX CALCULATION



HEADQUARTERS
Forest Group (Nederland) BV
The Netherlands
+31 (0) 570 622850
www.forestgroup.com
info@forestgroup.com

FOREST
DRAPERY HARDWARE