

FOREST FSS® Forest Skylight System A skylight system is a window decoration solution ideal for glass roofs, atriums and conservatories.




FOREST FSS®



PRODUCT INFORMATIE

- The Forest Skylight System offers an elegant window dressing solution for glass roofs, atriums and conservatories.
- A clever combination of different Forest systems.
- Easy assembling and smooth operation guaranteed.
- Possible to operate with one motor or a tandem application.
- Both 220V FMS motor or 24V Shuttle motor applicable.
- Maximum size 7 meter long and 3,2 meter wide (without middle support).
- Bendable; it can be curved with a 20 cm radius or continuously curved.
- The fabric can be made to cover wall to wall.
- For horizontal and vertical installation.
- Four types of systems are applicable: Heavy Duty and Light version, depending on the size of the system. Both versions have the option to create complete black-out.







FOR USE IN

Private and/or project market, or wherever a high-quality, efficient elegant skylight system is desired.

PROFILE

FMS TRACK


- Weight: 290 gram per meter
- Aluminium Extrusion
- Size: 20 x 20 mm

MTS TRACK


- Weight: 500 gram per meter
- Aluminium Extrusion
- Size: 19,6 x 30 mm

FSS ALUMINIUM TUBE

- Weight: 290 gram per meter
- Aluminium Extrusion
- Size: 15 mm Ø










- (2) FSS Bearing Drive Shaft
- (3) FSS Aluminium Tube 15 mm
- (4) FSS Motor Cover Profile
- (5) FSS Cover Profile Return
- (6) Velcro
- (7) FSS Master Carrier Right
- (8) FSS Master Carrier Left
- (9) FSS Klick Carrier plus holder for Heavy Duty
- (10) FSS Master Carrier Fixer
- (11) FSS Rod 8 mm
- (12) FSS Track
- (13) FMS Track



	ARTICLE	PACKING UNIT		ART.NR
	FSS DRIVE SHAFT CONNECTOR To connect both endpulley of the FMS track with eachother.	10/box		7103011000
	FSS BEARING DRIVE SHAFT Placed on the Aluminium Tube for right stability i return profile for the right stability.	10/box in the		7103012000
	FSS ALUMINIUM TUBE 15MM To connect both end pulleys.	10/bundle	Length 6 mtr	7118305000
	FSS MOTOR COVER PROFILE To cover the motor. The fabric can be connected with velcro on the profile.	2/bundle	Length 6 mtr	7101501600
	FSS COVER PROFILE RETURN To cover the endpulley and the drive shaft rod rod The fabric can be connected on the velcro.	2/bundle d.	Length 6 mtr	7101501610
	VELCRO To be used on both profiles to attach the fabric. Height: 25mm / Length: 1.20 mtr.	1/box		3416500004
	FSS METAL BRACKET Strong bracket to fit the Forest Skylight System to or ceiling.	100/box o the wall		7160001000
	FOREST SHUTTLE MOTOR FOR FSS SYSTEM The motor is especially modified for the FSS syste	1/box m.	White	7131000000
	FOREST ADAPTOR Universal adaptor (Dimensions: 11 x 5 x 3 cm) Plugs available in versions:	1/box	White White - EUR White - UK	5201002000 5201001101 5201001131
2	FOREST SHUTTLE TANDEM CABLEL 5 meter cable applicable when a tandem motor is	1/box used.	Length 5 mtr	7113000000
	FSS MASTER CARRIER RIGHT Will go through a curve. The carrier ensures a ma overlap.	25/box ximum		7114301000
3	FSS MASTER CARRIER LEFT Will go through a curve. The carrier ensures a ma overlap.	25/box ximum		7114401000
	MASTER CARRIER FIXER To fix the carrier on the under- and overlap.	25/box		7116401000
	FSS KLICK CARRIER PLUS HOLDER FOR HEAVY Can be used in combination with the FSS Track.	DUTY 25/box		7140000000
	FSS KLICK CARRIER PLUS HOLDER FOR TUBE Can be used in combination with the 15mm Aluminium Tube.	25/box		7110001000
	FSS ROD 8MM The aluminium rod goes through the fabric. Aluminium Fiberglas	10/bundle 20/bundle	Length 6 mtr Length 6 mtr	7135301600 7135401600
	FSS TRACK To be used as a traverse frame support in combin the 8mm rod.	5/bundle ation with	Length 5,80 mtr Length 7 mtr	7101001580 7101001700
	FSS TOOLSET Inclusive template and drill.	1/set		7150000001
	FSS KLICK CARRIER PLUS HOLDER AND 8MM ROD CLIP To be used in combination with the 15mm and 8r rod to create a complete black-out.	25/box mm		7130000000
	FSS ROD CLIP For connecting the traverse rods with eachother.	25/box		7130000001

