



MANUAL
OPERATION



RECESS
POSSIBLE



EASY
TO BEND

FOREST KS[®] *Klick System*

Highly efficient hand drawn system for all types of medium and light weight draperies.
Quick installation with "Smart Klick" brackets for wall and ceiling applications.

THE WORLD
BEHIND
YOUR
CURTAINS



FOREST KS®





PRODUCT INFORMATION

- Highly efficient hand drawn system for all types of medium weight draperies.
- Quick installation with "Smart Klick" brackets for wall and ceiling applications with cover caps that conceal the screws.
- Bendable; it can be bent and reversed bent using a 10 cm (4") radius or continuous curve.
- Suitable for special window decoration as circular, arch and triangle window models.
- Heavy duty clickable carriers, UV-protected, for smooth and easy traversing.
Offset shape for straight hanging pleats.
- Can also be used for Forest Easyfold System and accordiafold drapery systems.
- Maximum fabric weight: 8 kg per meter (6 LBS per ft.).
- Colours available: white, gold, grey, brown, black, cream, & beige.
- Special colours: available on request.
- Available lengths: 3 meter (9'10"), 4 meter (13'1"), 5 meter (16'4"), 6 meter (19'8"), 7 meter (23').
- Track finish: High quality aluminium, powder coated with a factory applied patented dry lubricant.

PROFILE

- Shown actual size 1:1.
- Aluminium Extrusion.
- Weight: 150 grams per meter (1.62 ounce per ft.).
- Dimensions: 14 mm x 20 mm (0,6" x 0,8").
- KS Recess: 12.5 mm x 21 mm (0,5" x 0,8")




- 1 KS track
- 2 Carrier
- 3 Stop Carrier
- 4 Twist End Stop
- 5 Twist End Stop with cap




FOR USE IN

Hotels - offices - schools - healthcare - residences - boats - campers - planes or at any location where an efficient hand drawn system is required.




Easy installation
click - position - tighten



clickable carrier


BENDING / CURVING

The track can be curved and reversed curved using a 10 cm (4") radius. Additionally there is a curving possibility for special windows like arches, bows and circles. Bending instructions available on request.




SPECIAL WINDOW DECORATION

Special bends



APPLICATIONS



MOUNTING BRACKETS

Wall bracket

3.5 cm (1.4")

6 cm (2.4")




Milling dimensions
KS Recess

A) Min. 10 cm (4")




A) Min. 16 cm (6")



Other brackets are available. Brackets need to be placed every 60 cm (24").


Smart Click Ceiling Bracket



Aluminium Wall bracket single

A) 7.5 cm (3") B) 6.3 cm (2.5")


A) 10 cm (4") B) 8.8 cm (3.5")



Aluminium Wall bracket double


A) 15 cm (6") B) 9.2 cm (3.6") C) 4.5 cm (1.8")

A) 20 cm (8") B) 9.2 cm (3.6") C) 9.5 cm (3.7")



Aluminium Wall bracket triple

A) 25 cm (10") B) 9.3 cm (3.7") C) 5 cm (2")









CRS Adjustable Wall Bracket







8 cm (3.1"), adjustable to 9.5 cm (3.7").








A = 8,9 (3,5") / B = 8 (3,1") >> 9,5 (3,7") /







D = 3,75 (1,5") / E = 5,95 cm (2,3")



| KS | KS RECESS | ARTICLE | PACKING UNIT | ART.NR | | |
|----|---|---|---|--|--|--|
| ● |  | KS TRACK WHITE Aluminium extrusion, powder coated, lubricated. | 60 mtr/bundle 80 mtr/bundle 100 mtr/bundle 120 mtr/bundle 140 mtr/bundle | 3 mtr (9'8") 4 mtr (13'1") 5 mtr (16'4") 6 mtr (19'8") 7 mtr (23') | 1001001300 1001001400 1001001500 1001001600 1001001700 | |
| | | KS TRACK GREY Aluminium extrusion, powder coated, lubricated. | 120 mtr/bundle 140 mtr/bundle | 6 mtr (19'8") 7 mtr (23') | 1001003600 1001003700 | |
| | | KS TRACK GOLD Aluminium extrusion, powder coated, lubricated | 120 mtr/bundle | 6 mtr (19'8") | 1001002600 | |
| | | KS TRACK BROWN Aluminium extrusion, powder coated, lubricated. | 120 mtr/bundle | 6 mtr (19'8") | 1001005600 | |
| | | KS TRACK BLACK Aluminium extrusion, powder coated, lubricated. | 100 mtr/bundle 120 mtr/bundle 140 mtr/bundle | 5 mtr (16'4") 6 mtr (19'8") 7 mtr (23") | 1001006500 1001006600 1001006700 | |
| | | KS TRACK MORE COLOUR OPTIONS Aluminium extrusion, powder coated, lubricated. off-white sand | 100 mtr/bundle | 5 mtr (16'4") 5 mtr (16'4") | 1001011500 1001012500 | |
| ● |  | KS RECESS TRACK 6 Mtr (19'8") Aluminium extrusion, powder coated, lubricated and pre-drilled. | 6 mtr/bundle | white matt white black matt black | 1031011600 1031011600-M 1031016600 1031016600-M | |
| ● |  | MTS FLEXIBLE DUST STRIP. To seal the curtain track opening of the ks recess track during finishing phase. | 50 mtr/roll | | 4518501000 | |
| ● |  | KS TRACK CONNECTORPIN STAINLESS 2X20 MM For a firm and seamless connection between two pieces of KS track. | 10/box | | 9900000012 | |
| ● |  | KS/DS/CKS TRACK CONNECTOR | 10/box | white grey black | 1018401010 1018403010 1018406010 | |
| ● |  | KS PLASTIC TRACK CONNECTOR Can be inserted in the track, but still allows the carrier to run over. | 50/box | | 1018400000 | |
| ● |  | KS RECESS INTERNAL CONNECTOR | 50/box | | 1030000001 | |
| | | MOUNTING SET FOR INTERNAL TRACK CONNECTOR (set consists 200 screws & 2 drill bits) | 1/set | | 8880000001 | |
| ● |  | SCREW M3 X 25MM FOR KS RECESS PROFILE STAINLESS STEEL | 250/box | | Forest073 | |
| ● | ● |  | KS AS CARRIER "Clickable", offset, constructed of UV-resistant plastic. 10 Carriers on a break-away strip. Can be clicked in after installation. | 500/box | white grey brown black | 1010001000 1010003000 1010005000 1010006000 |
| ● | ● |  | KS SYMMETRICAL CARRIER | 500/box | white | 1010101000 |
| ● | |  | KS STOPCARRIER Prevents slide back, "clickable", constructed of UV-resistant plastic. Not in combination with KS plastic track connector & KS recess connector. | 250/box | white grey black | 1010201000 1010203000 1010206000 |
| ● | ● |  | KS SHIRRTAPE CARRIER Carrier and hook in one "clickable" unit, constructed of UV-resistant plastic. For sew on drapery tape. | 500/box | white grey black | 1010401000 1010403000 1010406000 |

| KS | KS RECESS | ARTICLE | PACKING UNIT | | ART.NR |
|----|-----------|---|--------------|---------------------------------------|--|
| ● | |  MASTER CARRIER/REVERSIBLE Reversible overlap carrier, "Klicks" into track, constructed of UV-resistant plastic. For straight track only. Colours: 01. | 25/box | | 1010301000 |
| ● | ● |  EASYFOLD PLASTIC MASTER UNDERLAP The Plastic Master is reversible. There are also snaps on the back of the Master. | 25/box | white transparent grey black | 4815201010 4815201000 4815203010 4815206010 |
| ● | ● |  EASYFOLD PLASTIC MASTER STRAIGHT The Plastic Master is reversible. There are also snaps on the back of the Master. | 25/box | white transparent grey black | 4815101010 4815101000 4815103010 4815106010 |
| ● | ● |  KS TWIST ENDSTOP "Twists" into track, with metal plate, constructed of UV-resistant plastic. | 100/box | white grey black | 1016201000 1016203000 1016206000 |
| ● | |  KS TWIST ENDSTOP WITH CAP "Twists" into track, with metal plate and end cap, constructed of UV-resistant plastic. | 100/box | white grey black | 1016301000 1016303000 1016306000 |
| | ● |  KS RECESS PUNCH ENDSTOP To cover the slot | 100/box | white black | 1060601000 1060606000 |
| ● | |  KS ENDCAP + SCREW SHORT To be used for a single draw curtain. | 100/box | white grey black | 1006001000 1006003000 1006006000 |
| ● | |  EASYFOLD KS UNIVERSAL ENDCAP WITH SCREW To be screwed with an Easyfold carrier, made of UV-resistant plastic. | 100/box | white grey brown black | 4816001000-A 4816003000-A 4816005000 4816006000-A |
| ● | |  KS WALL SUPPORT RIGHT 2,5 x 5 cm (1"x2") return plate, powder coated. | 25/box | white grey | 1016601000 1016603000 |
| | |  KS WALL SUPPORT LEFT 2,5 x 5 cm (1"x2") return plate, powder coated. | | white grey | 1016701000 1016703000 |
| ● | |  STRAIGHT RETURN R/L 5 x 5 cm (2 x 2") reversible return plate, powder coated. | 25/box | white brown | 1016501000 1016505000 |
| ● | |  MTS SUSPENSION CEILING BRACKET INCL TUBE Ceiling Bracket for KS. To be used in combination with the Suspension Ceiling Bracket. Length: 10 cm (4") - 100 cm (40") Complete with MTS Insert Screw and MTS Top Piece | 1/each | white | 4518201000 |
| | |  MTS SUSPENSION CEILING BRACKET 1,50 MTR WHITE Length: 100 cm (40") - 150 cm (59") Complete with MTS insert screw and MTS Top Piece | 1/each | white black | 4518201500 4518206150 |
| | |  MTS SUSPENSION CEILING BRACKET 2,00 MTR WHITE Length: 200 cm (78") Complete with MTS insert screw and MTS Top Piece | 1/each | white | 4518202000 |
| ● | |  SUSPENSION BRACKET CLIP FOR KS For KS, to be used in combination with the MTS Suspension Ceiling Bracket. | 50/box | white black | 1016901000 1016906000 |
| ● | |  KS CEILING BRACKET Slides onto the track, powder coated. Regular duty. | 100/box | white grey brown black | 1018001000 1018003000 1018005000 1018006000 |
| ● | |  KS CEILING BRACKET WITH SLOT Slides onto the track, powder coated. Regular duty. | 100/box | white grey brown black | 1018101000 1018103000 1018105000 1018106000 |

| KS | KS RECESS | ARTICLE | PACKING UNIT | | ART.NR |
|----|-----------|---|--------------|---|--|
| ● | |  KS SMART KLICK CEILING BRACKET "Klicks" onto track, powder coated. | 100/box | white grey black | 1018201000 1018203000 1018206000 |
| ● | |  KS SMART KLICK CEILING BRACKET INCL COVER CAP "Klicks" onto track, powder coated. | 100/box | white grey anthracite black | 1018201001 1018203001 1018204001 1018206001 |
| ● | |  KS SMART KLICK COVER CAP Fits on Smart Klick Wall and Ceiling bracket. | 100/box | white grey brown black | 1019201000 1019203000 1019205000 1019206000 |
| ● | |  FALSE CEILING BRACKET (METAL) For installation on to a suspended ceiling. The track can be fixed in any angle. | 25/box | white black | 4519001000 4519006000 |
| ● | |  KS SMART KLICK CEILING BRACKET DOUBLE LONG Distance between two tracks: 90 mm (3,5") | 30/box | white grey black | 1018601000 1018603000 1018606000 |
| | |  KS SMART KLICK CEILING BRACKET DOUBLE SHORT Distance between two tracks: 60 mm | | | 1018611000 |
| ● | |  FSS MOUNTING BRACKET For concealed installation or ceiling installation in narrow spaces. Heavy Duty. | 100/box | | 7160001000 |
| ● | |  KS CEILING SPLICE BRACKET For ceiling installation only, powder coated. | 50/box | white black | 1018501000 1018506000 |
| ● | |  KS KLICK-ON CEILING BRACKET WHITE For concealed installation without visible brackets, light weight use only. Use with countersunk screw 3x25mm | 100/box | wit grey black | 1018301000 1018303000 1018306000 |
| ● | |  KS SK WALL BRACKET 3,5 cm "Klicks" onto track, powder coated. One screw attachment. | 50/box | white grey black | 1020201035 1020203035 1020206035 |
| | |  KS SK WALL BRACKET 6 cm "Klicks" onto track, powder coated. One screw attachment. | | white grey black | 1020201060 1020203060 1020206060 |
| ● | |  KS SK WALL BRACKET 7,5 cm | 30/box | white grey black | 1020201075 1020203075 1020206075 |
| | |  KS SK WALL BRACKET 10 cm | 20/box | white grey black | 1020201100 1020203100 1020206100 |
| | |  KS SK WALL BRACKET 12,5 cm | 20/box | white grey | 1020201125 1020203125 |
| | |  KS SK WALL BRACKET 15 cm | 15/box | white grey black | 1020201150 1020203150 1020206150 |
| | |  KS SK WALL BRACKET 20 cm | 15/box | white | 1020201200 |
| | |  KS SK WALL BRACKET 25 cm | 10/box | white | 1020201250 |
| | |  KS SK WALL BRACKET 30 cm | 10/box | white | 1020201300 |
| ● | |  KS SMART KLICK WALL BRACKET DOUBLE 10 cm | 15/box | white | 1020601100 |
| | |  KS SMART KLICK WALL BRACKET DOUBLE 15 cm | 15/box | white | 1020601150 |
| | |  KS SMART KLICK WALL BRACKET DOUBLE 20 cm | 15/box | white | 1020601200 |
| ● | |  KS ADJUSTABLE WALL BRACKET 8 CM INCL. COVER | 2/box | white matt white grey matt black | 1020901080 1020901080-mat 1020903080 1020906080-mat |
| ● | |  KS ADJUSTABLE SMART KLICK WALL BRACKET, SINGLE | 100/box | white | 1020801115 |
| ● | |  KS ADJUSTABLE SMART KLICK WALL BRACKET, DOUBLE | 50/box | white | 1020801195 |

| KS | KS RECESS | ARTICLE | PACKING UNIT | ART.NR | | |
|----|-----------|---|--|------------------|---------------------------------|--|
| ● | |  | KS SMART KLICK ALUMINIUM WALL BRACKET 7,5 cm | 20/box | white grey brown black | 1020301075 1020303075 1020305075 1020306075 |
| | | | KS SMART KLICK ALUMINIUM WALL BRACKET 10 cm | 20/box | white grey black | 1020301100 1020303100 1020306100 |
| | | | KS SMART KLICK ALUMINIUM WALL BRACKET 15 cm | 15/box | white grey brown | 1020301150 1020303150 1020305150 |
| | | | KS SMART KLICK ALUMINIUM WALL BRACKET 20 cm | 15/box | black white grey | 1020306150 1020301200 1020303200 |
| | | | KS SMART KLICK ALUMINIUM WALL BRACKET 25 cm | 10/box | black white grey | 1020306200 1020301250 1020303250 |
| ● | |  | COVER CAP FOR KS SMART KLICK ALUMINIUM WALL BRACKET | 50/box | white grey black | 1021301000 1021303000 1021306000 |
| ● | ● |  | KS FLICKSTICK FIBERGLASS | 50/box | 92 cm 122 cm | 1065101092 1065101122 |
| | | | KS FLICKSTICK TRANSPARENT | 50/box | 92 cm 122 cm | 1065101152 1065102092 1065102122 |
| | | | KS FLICKSTICK WHITE ALUMINIUM | 50/box | 92 cm 122 cm | 1065102152 1065111092 1065111122 |
| | | | KS FLICKSTICK Grey ALUMINIUM | 50/box | 152 cm 202 cm | 1065111152 1065111202 |
| | | | KS FLICKSTICK BLACK ALUMINIUM | 50/box | 92 cm 152 cm | 1065113092 1065113122 1065113152 |
| | | | KS FLICKSTICK ANTIQUE ALUMINIUM | 50/box | 92 cm 152 cm | 1065116092 1065116152 1065119092 1065119122 1065119152 |
| ● | ● |  | COMPACT BENDING TOOL - For KS / KS RECESS / CKS KS BENDING WHEEL ALL-IN incl. strips + wedges KS RECESS BENDING WHEEL ALL-IN incl. strips + wedges | 1/each | | 1050000000 1050100000 1030000000 |
| ● | |  | CONTINUOUS CURVER Add on tool for the Compact Bending Tool. Designed to create continuous curves and arches in any radius. Includes KS bending strip. For KS and CKS Track only. | 1/each | | 1060200000 |
| ● | ● |  | ELECTRIC POWERED BENDER Available in 230V or 115V To create continuous curves and arches minimum radius 50 cm (20") | 1/each | | 1060500000 |
| | ● |  | CHANNEL PROTECTOR with bit | 1/set | purple | 1070600000 |
| | ● |  | KS RECESS PUNCH PINCHER | 1/each | | 1060600000 |
| ● | ● |  | KS BENDING STRIP For Compact Bending Tool. | 1/each | | 1060100000 |
| | | | KS RECESS BENDING STRIP Length of strip: 60 cm (23,6"). 2 strips | 1/each 2/each | | 8500000000-A 1030000000-D |
| | | | FOR CONTINUOUS CURVER/ELECTRIC BENDER. KS Length of strip: 7 mtr. (23'). | 1/each | | 1060300000 |
| | | | KS RECESS Length of strip: 7 mtr. (23'). | 1/each | | 8500000010 |
| ● | ● |  | KS/CKS BENDING WHEELS - For Electric Powered Bender. Complete set of 3 wheels. | 1/set | | 1060700000 |
| | | | KS RECESS BENDING WHEELS - For Electric Powered Bender. Complete set of 3 wheels. | 1/set | | 1030700000 |
| ● | ● |  | KS/DS BENDING CASE Box for storing all bending components of the KS system. Dimensions: 40x30x33.5 cm. Box excludes all components. | 1/each | | 1050000001 |
| ● | ● |  | ELECTRIC POWERED RAILCUTTER 230 Volt EU | 1/each | | 1061100000 |
| | |  | BLADE FOREST CUTTER NEW MODEL | 1/each | | 1061200001 |
| ● | |  | TABLE DISPLAY KS-DS-DS-DS-XL | 1/each | | 9902100002 |