



## CURTAIN HEIGHT CHART *(FOR SEWING WORKROOMS)*

A practical reference table for calculating curtain fabric height


- Heading height : Distance between top of curtain and hook. Covers the carriers and part of the track.
- Deduction : Subtracted from the total curtain height (measured from the ceiling).
- Wave curtains : Hang below the track, header 0 cm.

**NOTE:** The sizes as indicated above are from the top only. This overview is only intended for sewing workshops.



THE WORLD  
BEHIND  
YOUR  
CURTAINS

# MANUAL CURTAIN TRACK SYSTEMS


## FOREST KS<sup>®</sup>




## FOREST KS<sup>®</sup> RECESS




## FOREST CKS<sup>®</sup>




## FOREST CS<sup>®</sup>




## FOREST CS<sup>®</sup> RECESS





## FOREST CCS<sup>®</sup>





## FOREST CRS<sup>®</sup> 20MM





## FOREST CRS<sup>®</sup> 28MM
































## FOREST CRS<sup>®</sup> SQUARE 30



## FOREST CRS<sup>®</sup> RECTANGULAR 45



PROFILE	PLEAT	WAVE
 14 mm 20 mm	 27.2 mm KS AS carrier Heading height 2.5 cm Deduction measure 2.2 mm	 19 mm 24.3 mm Square Easywave carrier Deduction measure 19 mm
 17 mm 11.5 mm	 13.2 mm KS AS carrier Heading height 1 cm Deduction measure 3.2 mm	 11 mm Square Easywave carrier Deduction measure 8 mm
 14 mm 20 mm	 27.2 mm KS AS carrier Heading height 2.5 cm Deduction measure 2.2 mm	N/A
 20 mm 20 mm	 39.8 mm FMS carrier asymmetr. Heading height 3.5 cm Deduction measure 4.8 mm	 25 mm 30.3 mm Square Easywave carrier Deduction measure 2.5 cm
 23 mm 24.5 mm 23 mm 32 mm	 10.4 mm Roller carrier Heading height 1 cm Deduction measure 0.4 mm	 10.4 mm Wave roller carrier Deduction measure 0.4 mm
 20 mm 20 mm	 39.8 mm FMS carrier asymmetr. Heading height 3.5 cm Deduction measure 4.8 mm	 25 mm 30.3 mm Square Easywave carrier Deduction measure 25 mm
 20 mm 20 mm	 31.85 mm CRS carrier round Heading height 0.5 cm Deduction measure 26.8 mm	 25 mm 29.3 mm Square Easywave carrier Deduction measure 25 mm
 28 mm 28 mm	 41.7 mm CRS carrier round Heading height 1 cm Deduction measure 31.7 mm	 33 mm 39.2 mm Square Easywave carrier Deduction measure 33 mm
 30 mm 30 mm	 57.7 mm Roller carrier Heading height 1 cm Deduction measure 47.7 mm	 51 mm 57.7 mm Wave roller carrier Deduction measure 51 mm
 30 mm 30 mm	 72.5 mm Roller carrier Heading height 1 cm Deduction measure 62.5 mm	 66 mm 72.5 mm Wave roller carrier Deduction measure 66 mm

## FOREST CRS® CORDED 28MM



## FOREST DS®



## FOREST DS-XL®



## FOREST DS-XL® LED



## FOREST MCS® 1/2 & 2/3



## FOREST MTS®



## FOREST MTS® FLAT



## FOREST MTS® ROUND




## FOREST PS®



PROFILE	PLEAT	WAVE
	<p>MRS carrier round Heading height 1.5 cm Deduction measure 29.6 mm</p>	<p>Square Easywave carrier Deduction measure 33 mm</p>
	<p>Carrier asymetr. Heading height 2 cm Deduction measure 2 mm</p>	<p>Square Easywave carrier Deduction measure 16 mm</p>
	<p>Economical carrier Heading height 0 cm Deduction measure 7 mm</p>	<p>Square Easywave glijder Deduction measure 18 mm</p>
	<p>Economical carrier Heading height 0 cm Deduction measure 23 mm</p>	<p>Square Easywave carrier Deduction measure 23 mm</p>
	<p>Carrier asymetr. Heading height 0 cm Deduction measure 8.5 mm</p>	<p>Square Easywave carrier Deduction measure 11.2 mm</p>
	<p>MTS carrier with Stainless steel hook Heading height 0 cm Deduction measure 71.5 mm</p>	<p>Square Easywave carrier Deduction measure 33 mm</p>
	<p>MTS carrier with Stainless steel hook Heading height 0 cm Deduction measure 76 mm</p>	<p>Square Easywave carrier Deduction measure 38 mm</p>
	<p>MTS carrier with Stainless steel hook Heading height 0 cm Deduction measure 69 mm</p>	<p>Square Easywave carrier Deduction measure 33 mm</p>
	<p>Panel System PS standard carrier Deduction measure 26 mm</p>	

# MOTORISED TRACK SYSTEMS



## FOREST FMS<sup>®</sup>






### PROFILE

### PLEAT




### WAVE






## FOREST FMS<sup>®</sup> PLUS







## FOREST FMS<sup>®</sup> PLUS RECESS






## FOREST DS-XL<sup>®</sup> LED / DOUBLE LED



## FOREST DS-XL<sup>®</sup>



## FOREST MRS<sup>®</sup>



## FOREST FMS<sup>®</sup> DUAL

