



Round and fluent shapes
in decorative interiors

FITS
ON ALL
FOREST
TRACKS

FOREST EASYFOLD SYSTEM

Easysnap
tape application
on KS rail

Easyflex
tape application on DS rail

Give a
modern
and **special**
folding
design to
your
curtains.

INTRODUCTION


THE FOREST EASYFOLD SYSTEM® IS AN ADDITIONAL FEATURE OF THE DRAPERY HARDWARE SYSTEMS OF FOREST GROUP. IT COMPLIES FULLY WITH THE CONTEMPORARY DEMAND FOR ROUND AND FLUENT SHAPES IN DECORATIVE INTERIORS.

IT OFFERS NEW POSSIBILITIES FOR APPLICATIONS IN LARGE AND HIGH SPACES, SUCH AS LOBBIES, ENTREES, RECEPTION AREAS, CONFERENCE ROOMS, AUDITORIUMS, MEETING ROOMS, FOOD AND BEVERAGE OUTLETS ETC.

THE SYSTEM CAN BE INSTALLED ONTO ALL FOREST MANUAL, CORDED AND MOTORIZED TRACKS AND CURTAIN ROD SYSTEMS AND GIVES A MODERN AND SPECIAL FOLDING DESIGN TO THE CURTAIN.

SUCH A MODERN CURTAIN HEADING SYSTEM COMBINED WITH A SUITABLE FABRIC IS GUARANTEED TO BE A REAL EYE-CATCHER IN EVERY ROOM.






The system is designed so that the curtains **maintain their folding effect** from the moment they are dressed



WHAT MAKES THE FOREST EASYFOLD SYSTEM SO UNIQUE?

- » The smooth folding effect is always maintained whether the curtains are open or closed.
- » The system is designed so that the curtains maintain their folding effect from the moment they are dressed.
- » The simple, yet stylish design makes the curtains easier to make up.
- » The Easyfold heading stacks back neatly, taking up less space than traditional pleated headings.
- » The glider-cord is not visible when the curtain is fully closed.
- » Easy to take down and re-hang thanks to its detachable carrier-base.
- » Depending on the fullness selected the Easyfold system can be more economical than more traditional curtains. (up to 33% compared to a regular pencil pleat curtain)
- » Can also be used in horizontally-curved tracks. Examples of how Forest tracks can be bent in different situations:




HOW DOES THE FOREST EASYFOLD SYSTEM WORK?

- » The system is available in two types; **Easysnap with metal snaps** already fixed on the heading tape at a fixed distance, in combination with double sided Easysnap carriers; **Easyflex with pockets on the heading tape**, allowing for a flexible positioning of the hooks, in combination with Easyflex carriers.
- » Specially designed interconnected-gliders are contained within the curtain track.
- » This connection cord limits the extension of the curtain fabric, creating a smooth and continuous folding effect. When opened, the system enables the curtains to stack back neatly and straight.
- » Depending on the fabric type, a regular iron-on hem tape can be used with the Easyfold Tape at the top of the curtain to maintain a smooth appearance.
- » Transparent Easyflex tape with pockets allows for completely variable folds and any fullness desired, from 150% to 350%!
- » Easysnap Tape available in: white, black and transparent, in 10 cm and 15 cm spacing. Fullness options 180%, 200%, 270% and 300%.
- » Both Easysnap and Easyflex can be applied on most Forest curtain track systems.

EASYFOLD CARRIER AND TAPE REQUIREMENTS

	1 meter	2 meter	3 meter	4 meter	5 meter	6 meter	7 meter
	Qty	Qty	Qty	Qty	Qty	Qty	Qty
60% EASYSNAP / EASYFLEX CARRIERS 60%, CARRIER DISTANCE 8,0 CM	16 carriers	28 carriers	40 carriers	52 carriers	66 carriers	78 carriers	90 carriers
EASYFLEX TAPE 10 CM WAVE DEPTH / EASYSNAP REGULAR TAPE	160 cm	280 cm	400 cm	520 cm	660 cm	780 cm	900 cm
EASYFLEX TAPE 15 CM WAVE DEPTH / EASYSNAP XL TAPE	240 cm	420 cm	600 cm	780 cm	990 cm	1170 cm	1350 cm
EASYFLEX TAPE 20 CM WAVE DEPTH	320 cm	560 cm	800 cm	1040 cm	1320 cm	1560 cm	1800 cm
CURTAIN STACKING IN OPEN POSITION	23 cm	40 cm	56 cm	74 cm	93 cm	110 cm	127 cm
80% EASYSNAP / EASYFLEX CARRIERS 80%, CARRIER DISTANCE 6,0 CM	20 carriers	36 carriers	52 carriers	70 carriers	86 carriers	102 carriers	120 carriers
EASYFLEX TAPE 10 CM WAVE DEPTH / EASYSNAP REGULAR TAPE	200 cm	360 cm	520 cm	700 cm	860 cm	1020 cm	1200 cm
EASYFLEX TAPE 15 CM WAVE DEPTH / EASYSNAP XL TAPE	300 cm	540 cm	780 cm	1050 cm	1290 cm	1530 cm	1800 cm
EASYFLEX TAPE 20 CM WAVE DEPTH	400 cm	720 cm	1040 cm	1400 cm	1720 cm	2040 cm	2400 cm
CURTAIN STACKING IN OPEN POSITION	26 cm	51 cm	75 cm	100 cm	122 cm	144 cm	168 cm
100% EASYSNAP / EASYFLEX CARRIERS 100%, CARRIER DISTANCE 5,4 CM	22 carriers	40 carriers	58 carriers	78 carriers	96 carriers	114 carriers	132 carriers
EASYFLEX TAPE 10 CM WAVE DEPTH / EASYSNAP REGULAR TAPE	220 cm	400 cm	580 cm	780 cm	960 cm	1140 cm	1320 cm
EASYFLEX TAPE 15 CM WAVE DEPTH / EASYSNAP XL TAPE	330 cm	600 cm	870 cm	1170 cm	1440 cm	1710 cm	1980 cm
EASYFLEX TAPE 20 CM WAVE DEPTH	440 cm	800 cm	1160 cm	1560 cm	1920 cm	2280 cm	2640 cm
CURTAIN STACKING IN OPEN POSITION	30 cm	57 cm	82 cm	110 cm	136 cm	162 cm	186 cm



60% = 8,0 cm carrier distance
80% = 6,0 cm carrier distance
100% = 5,4 cm carrier distance



Wave depth 10,75 cm or 15,75 cm with Easysnap tape and carriers. Ceiling space required 10,75 cm or 15,75.

Wave depth fully variable with Easyflex tape and carriers. Ceiling space required is equal to the spacing between the hook placement in the Easyflex tape.

WORKROOM INSTRUCTIONS

Forest Group understands that many workrooms will have their own method of manufacturing curtains. This guide is intended to give you a suggested make up method so you get the best from the Forest Group Easyfold system. When using your own fabrics we suggest that sample curtains are made to determine whether;

1. It is suitable for use with Easyfold, and,
2. If so, which size of Fold is most appropriate.
3. How many Easyfold carriers are exactly required to make up a particular size track.

In general, stiffer fabrics tend not to lend themselves well to Easyfold since they struggle to hold the soft curves for the drop of the curtain.

Once you have confirmed your fabric is suitable you may want to consider using lead weight tape and curtain side weights for an improved finished appearance. The maximum weight that the standard Easysnap and Easyflex tape can carry is 10 kg per meter of track. However, individual track weight restrictions still apply. Easysnap Roller and Easyflex Roller have much higher weight limitations, consult the catalogue to see individual system weight graphs. This guide is based on using the recommended Easyfold component parts detailed on the next page.

FOREST EASYFLEX SYSTEM

The Easyflex system works with a 7,7 cm high transparent tape with pockets, one roll of 100 meters has two lines of pockets on the top and the bottom of the tape. In the pockets you can fit the Easyflex hooks, which are the lower part of the Easyflex carriers. The carriers are available in 60% (8,0 cm), 80% (6,0 cm) and 100 % (5,4 cm) width. Easyflex endhooks are used to connect the curtain to the master carriers. The base of the first master carrier can be fixed onto the master carrier, to make sure the master carrier takes the curtain along with it.


FOREST EASYSNAP SYSTEM

The Easysnap system works with a range of snap tapes, in white, black or transparent versions. The stainless steel snaps are placed at fixed distances in the tape, with a distance from center to center of 10,75 or 15,75 cm. The carriers are available in 60% (8,0 cm), 80% (6,0 cm) and 100 % (5,4 cm) width. The snaptool can be used to add snaps to the tape wherever required, for increased stability to the curtain when fixing it on an overlap arm or return pulley. The base of the first master carrier can be fixed onto the master carrier, to make sure the master carrier takes the curtain along with it.




COMPONENTS REQUIRED FOR EASYSNAP APPLICATION:


REGULAR SPACING, 10,75 CM, 850 SNAPS ON A ROLL


	FES tape	4810900000
	normal white	91,44 mtr / roll
	FES tape	4810900010
	heavy-duty white	91,44 mtr / roll
	FES tape	4810800000
	normal black	91,44 mtr / roll
	FES tape	4810700000
	transparant	91,44 mtr / roll


EXTRALARGE SPACING, 15,75 CM, 580 SNAPS ON A ROLL


	FES tape	4810900015
	heavy-duty white XL	91,44 mtr / roll
	FES tape	4810700015
	transparant XL	91,44 mtr / roll

	FES base	4812001060
	60% white	500 pcs / roll
	FES base	48120..080
	80% white	500 pcs / roll
	FES base	48120..100
	100% white	500 pcs / roll
Colours: 01 white, 06 black		

	FES Easysnap 2 sided carrier white	4812001000
		500 pcs / box
	FES Easysnap 2 sided carrier black	4812006000
		500 pcs / box

	Easysnap CS/CCS/FMS mastercarrier overlap R/L	4815301000
		15 pcs / box

	Easysnap CS/CCS/FMS mastercarrier underlap R/L	4815401000
		15 pcs / box


	Easysnap mastercarrier 90° left	4815301090
		15 pcs / box


	Easysnap mastercarrier 90° right	4815401090
		15 pcs / box


	Easysnap insert with snap for CCS pulley	4822501000
		25 pcs / box


Unless indicated otherwise, all other regular track components can be used for the Forest Easyfold System


	Easysnap insert with snap for CKS pulley	4822601000
		25 pcs / box

	FMS motor pulley with snap	5103011002
		piece

	FMS return pulley with snap	5103011101
		piece

	Easyfold metal male snaps	4810900001
		1.000 pcs / box
	Easyfold metal female snaps	4810900002
		1.000 pcs / box
	Easyfold metal rivat back for male/female snaps	4810900003
		1.000 pcs / box


	Easyfold snaptool with moulds	4870900000
		piece


	Easyfold plastic master straight overlap	25 pcs / box
	white	4815101010
	transparant	4815101000
	silver	4815103010
	black	4815106010

	Easyfold plastic master underlap	25 pcs / box
	white	4815201010
	transparant	4815201000
	silver	4815203010
	black	4815206010

COMPONENTS REQUIRED FOR EASYFLEX APPLICATION:

	Easyflex tape 77 mm	4810700016
		100 mtr / roll

	FES base 60% white	4812001060
		500 pcs / roll
	FES base 80% white	48120..080
		500 pcs / roll
	FES base 100% white	48120..100
		500 pcs / roll
Colours: 01 white, 06 black		

**FES roller base 60%**

white (8,0 cm)

4812701260

500 pcs / roll

FES roller base 80%

white (6,03 cm)

4812701280

500 pcs / roll

FES roller base 100%

white (5,4 cm)

4812701300

500 pcs / roll

* Easyflex Roller can only be used in CS and CRS 28 mm tracks

**FES pendant for curtain hook**

500 pcs / box


white

4812001001

black

4812006001

For usage in combination with FES system and curtain hooks

**Easy Wave carrier 60% 8 cm**

4812101060

60% white

1000 pcs / roll

Easy Wave carrier 80% 6 cm

4812101080

80% white

1000 pcs / roll

**Easyflex hook**

500 pcs / box

white

4812801000

black

4812806000

**Easyflex endhook**

1.000 pcs / box


white

4812801010

black

4812806010


for usage on mastercarrier and pulley

**FMS return pulley white Easyflex**

5103011102

piece

Especially designed for single stack in combination with Easyflex Curved Arm

**Inside Wall Bracket**

3022301000

To begin and finish the wave on a CCS system


25 pcs / box

**FMS Easyflex curved arm white**

5135901020

piece


Screw included. To be used in combination with the FMS Return pulley white Easyflex

**Easyflex mastercarrier**

90° left

4815351090

15 pcs / box

**Easyflex mastercarrier**

90° right

4815451090

15 pcs / box

**Easyflex mastercarrier FMS Plus**

5135901010

Reversible 90 degrees.

For usage with FMS Plus track in combination with Easyflex

DS-XL TRACK SYSTEM

ESPECIALLY DESIGNED FOR EASYFOLD APPLICATION:

**DS-XL Track 6 meter (19'8'')**

24 mtr / bundle

white

3916101600

silver

3916103600

black

3916106600

**DS-XL Klick ceiling bracket**

3918301000

100 pcs / box

**PS/DS-XL Ceiling bracket swivel**

3818200230

100 pcs / box

**DS-XL End cap**

20 pcs / box

white

3916101000

silver

3916103000

black

3916106000

**DS-XL End cap corded**

10 pair / box

white

3916201000

silver

3916203000

black

3916206000

**Easyflex Plastic overlap L/R 90°**

25 pcs / box

Fits on all Forest Curtain Tracks

white

3916701000

black

3916706000

**DS-XL Endstop**

with screw

3916001000

100 pcs / box

**Cord 3mm on roll white**


3830401000

200 mtr / roll

**CKS/DS-XL Cord connector**


1530301000

100 pcs / box

**DS-XL Connector straight**

3916401000

10 pcs / box

**DS-XL Connector 90°**

3916401001

100 pcs / box

EXPERIENCE AND QUALITY

The introduction of the world's first clickable curtain track system KS® Klick System and the Smart Klick® technology was the starting point for Forest Group to become one of the world's most reputable manufacturers of high end window treatment solutions. Almost 30 years later Forest Group curtain track systems still represent the industry's standard due to ongoing innovation and constant focus on the highest quality.

WARRANTY

Whether sophisticated electric curtain systems, decorative channel rod systems or plain tracks, the combination of high end materials and precise manufacturing make it possible for Forest Group to provide a 10 year warranty.

Visit our website

WWW.FORESTGROUP.COM



PRODUCT BROCHURES - TECHNICAL SHEETS - REFERENCES - VIDEOS
PRODUCT ADVISOR - MEASURE AND CHECK TOOL - EASYFLEX CALCULATION



HEADQUARTERS

Forest Group (Nederland) BV
The Netherlands
+31 (0) 570 622850
www.forestgroup.com
info@forestgroup.com

FOREST
DRAPERY HARDWARE