

FOREST[®]


DRAPERY HARDWARE





CS[®]
Contract System

Product information

- Heavy duty hand drawn system for medium and heavy draperies.
- Bendable; it can be curved and reversed curved using a 20 cm (8") radius or continuous curve.
- Heavy duty clickable carriers - 10 carriers on a breakaway strip - UV protected. Can also be used with ball bearing carriers.
- Ideal for use with overlap masters and batons which can be mounted behind or in front of draperies.
- Can also be used for Forest Easyfold Systems and accordiafold drapery systems.
- Maximum fabric weight: 15 kg. per mtr (11,25 LBS per ft).
- Colours available: white, black, silver and brown.
- Track finish: chromated powder coating with a factory applied patented dry lubricant.
- Available lengths: 3.66 m (12'), 4.27 m (14'), 4.88 m (16'), 6.10 m (20').




Applications



For use in


Hotels - Motels - offices - schools - healthcare
residential or at any location where a heavy duty
hand drawn system is required.



- ① CS Track
- ② Carrier
- ③ Master Carrier R/L Overlap
- ④ Master Carrier R/L Underlap
- ⑤ Carrier
- ⑥ Endcap with screw



Bending/curving

The track can be curved and reversed curved using a
20 cm (8") radius. Continuous curving is also possible
with the electrical bending tool.



Mounting Brackets

Smart Klick Ceiling bracket



Clickable carrier




Easy installation
click - position - tighten

Mounting Brackets


Aluminium Wall Bracket single

A) 7,5 cm (3"): B) 6,3 cm (2,5")
A) 10 cm (4"): B) 8,8 cm (3,5")




Aluminium Wall Bracket double

A) 15 cm (6"): B) 9,2 cm (3,6"), C) 4,5 cm (1,8")
A) 20 cm (8"): B) 9,2 cm (3,6"), C) 9,5 cm (3,7")




Aluminium Wall Bracket triple 25 cm (10")



Other brackets are available. Brackets
need to be placed every 60 cm (24").

Click-on Stiffner




Colours available from stock:

Complete the art.nr. with the indicated colour-code

01 White, 03 Silver, 05 Brown, 06 Black

Other colours can be delivered on request.

**CS Track**

Extruded aluminium chromated, powder coating, factory lubricated. Available lengths 3.66 m. (12'), 4.27 m. (14'), 4.88 m. (16'), 6.10 m. (20').

25010...cm
10/bundle

**Carrier**

"Clickable", offset, constructed of UV-resistant plastic. 10 Carriers on a break-away strip. Can be clicked in after installation. Colours: 01, 02, 03, 05, 06.

25101...000
250/box

**CS/CCS/FMS Silent Carrier**

"Clickable", offset, constructed of UV-resistant plastic. 10 Carriers on a break-away strip. Can be clicked in after installation. Colours: 01, 03, 06.

25101...000-S
250/box

**CS Stop Carrier**

Clickable.
Colours: 01, 03.

25102...000
100/box

**CS Carrier with Hook**

Clickable.
Colours: 01.

25105...000
100/box

**Economy Slide**


Can turn in the track.
Colours: 01.

2510601000
500/box

**Ball Bearing Carrier**


25 mm White
20 mm White
20 mm Black
16 mm White
16 mm Black

100/box
2512100000
2512000000
2512006000
2512000016
2512006016

**Endcap long with screw**


Colours: 01, 03, 05, 06.

25164..000
100/box

**Endcap short with screw**

Colours: 01, 03, 05, 06.


25164..001
100/box

**CS/CCS/FMS Track Joiner**

Used to make a solid connection between two pieces of track.


Colours 01, 03, 05, 06.

25184..000
10/box

**Master Carrier R/L**


Underlap right or left.
Suitable for heavy drapes.
Colours: 01.

2514600000
25/box

**Master Carrier R/L**

Overlap right or left.
Suitable for heavy drapes.
Colours: 01.

2514700000
25/box

**CS Master Carrier R/L Base**


To be used in combination with any of the following overlap arms:

2514500000
25/box



Prolonged Overlap Arm R/L
150mm for click-on stiffener

9500001010
15/box




Easyflex Curved Arm R/L

5135901020
15/box15




Z-Arm Universal 175mm White
R/L

9500001030
15/box

**Click-on Stiffner**

Recommended for additional stability of the curtain heading, to be clicked onto the master carrier arm.

5116001001
15/box

**Baton Fiberglass White**

92 cm (36")
122 cm (48")
152 cm (60")

1065101...
100/box

Baton Transparent

92 cm (36")
122 cm (48")
152 cm (60")


1065102...
50/box

Baton Aluminium

92 cm (36")
122 cm (48")
152 cm (60")

White
Silver
Black
Antique

1065111...
1065113...
1065116...
1065119...
50/box


**Smart Klick Ceiling Bracket**

"Klicks" onto track, powder coated.
Colours: 01, 03, 05, 06.

100/box
10182..000


Inclusive Covercap

1018201001

**Covercap for Smart Klick Ceiling Bracket**

Fits on Smart Klick Wall and Ceiling bracket.
Colours: 01, 03, 05, 06.

10192..000
100/box




Smart Klick Double Ceiling Bracket Large 1018601000
Distance between two tracks: 90 mm (3,5") 30/box

Smart Klick Double Ceiling Bracket Short 1018611000
Distance between two tracks: 45 mm (1,8") 30/box




False Ceiling Bracket (metal) 100/box
For installation on to a suspended ceiling. The track can be fixed in any angle. 4519001000




Aluminium Wall Bracket 10203.. ... mm
Smart klick, powder coated.

7,5 cm single (3") 20/box
10 cm single (4") 20/box
15 cm double (6") 15/box
20 cm double (8") 15/box
25 cm triple (10") 10/box

Colours: 01, 03.



Adjustable Wall Bracket 10208..115
Smart Klick, adjustable single from 7,5 cm (3") to 11,5 cm (4.5") 100/box




Double from 6,5 cm (2,5") to 10 cm (4") - 15 cm (6") 10208..195
to 19,5 cm (7,5") 50/box
Colours: 01.




MTS Suspension Ceiling Bracket 4518201000
Length: 10 cm (4") - 1 m (3,3') 4518201500
1 m (3,3') - 1,5 m (4,9') 1/each



Suspension Bracket Clip 1016901000
To be used in combination with the Suspension Ceiling Bracket 50/box




Contract Bending Tool 2560000000
For CS/CCS/FMS/CRS/MTS 1/each




CS Bending Strips 8500000001
For CS track, length: 90 cm (35,4") 1/set

For CS electric powered bender. Length 7 meter (23'). 5160600000 1/set




Bending Stand 2560800000
Stand for contract bending tool 1/each



Electric Powered Bender 1060500000
Available in 230V or 115V, to create continuous curves and arches. 1/box
Minimum radius 50 cm (20").



Bending Wheels 2560700000
For Electric Powered Bender. Complete set of 3 wheels. 1/set



Electric Powered Railcutter 1061100000
230 Volt EU 1/each

Replacement Blade 1061200000
For electric powered railcutter. 1/each

Distributor:

FOREST
DRAPERY HARDWARE

Download
Forest brochures

