



**DOMOTICS**  
READY



**APP**  
CONTROL



**WIRELESS**  
REMOTE



**MANUAL**  
OPERATION

## FOREST DECORATIVE ROD Series

Elegant and trendy rod systems. Available as manual, chain and motorised system.

CRS®  
CRS® Deco  
CRS® Corded  
MRS® Motorised

THE WORLD  
BEHIND  
YOUR  
CURTAINS



# FOREST CURTAIN ROD SYSTEM - CRS®





## PRODUCT INFORMATION

- Elegant and trendy hand drawn channel rod system
- Curtain rod fitted with curtain carriers
- Available in two dimensions: 20 mm (0,8") and 28 mm (1,1")
- Bendable, both with an inside and outside corner
- Available in 9 colours: White-PC, Anthracite-PC, Chrome, Inox-PC, Inox-AN, Gold, Bronze, Taupe-PC, Antique-PC
- The brackets and endcaps are available in matching colours
- Inox coloured components can be used for both the Inox and Bronze coloured channel rod
- Wide range of decorative finials offering great variety of design options
- Possibility to use without a finial for inside frame fix
- Length: 5,80 m (19")
- Rod quality: high-grade aluminium, chromated, powder coated or anodized
- Easy and quick assembly
- Forest Easyfold System (FES) for wave pleat also applicable on CRS

## PROFILE


- Shown actual size 1:1
- Aluminium Extrusion
- Weight 20 mm (0,8"): 320 gram per meter
- Weight 28 mm (1,1"): 460 gram per meter
- Dimensions: 20 mm (0,8") and 28 mm (1,1")



- 1 CRS channel rod 20 mm (0,8")
- 2 CRS channel rod 28 mm (1,1")
- 3 CRS end cap
- 4 CRS carrier
- 5 KS shirttape carrier
- 6 CRS wall bracket double



## APPLICATIONS



## BENDING / CURVING

The 20 mm (0,8") rod can be curved and reverse curved using a radius of 10 cm (4"); the 28 mm (1,1") rod can be curved and reverse curved by using a radius of 20 cm (8").




## FOR USE IN

Domestic and / or project market, or at any location where a high quality, elegant and manually operated channel rod system is requested.

## MOUNTING BRACKETS


### CRS Ceiling Bracket



### CRS Ceiling Suspension Bracket

4 cm (1,6"), 5 cm (2") or 10 cm (4")

20 mm (0,8")/ 28 mm (1,1").




### CRS Wall Bracket, single

8 cm (3,1") Ø 20 (0,8") or 28 mm (1,1").

12 cm (4,7") Ø 20 (0,8") or 28 mm (1,1").


16 cm (6,3") Ø 20 (0,8") or 28 mm (1,1").



### CRS Wall Bracket, double


16 cm (6,3") Ø 20 mm (0,8")

16 cm (6,3") Ø 28 mm (1,1")




### CRS Wall Bracket, double

16 cm (6,3") Ø 20/28 mm (0,8/1,1")



### CRS Wall Bracket, double

20 cm (7,87") Ø 28 mm (1,1")



# FOREST CRS® Deco





## PRODUCT INFORMATION

- Elegant and decorative hand drawn channel rod system
- Curtain rod fitted with eyelets and rings
- Equipped with special inlay for smooth operation and noise reduction
- Available in two dimensions: 20 mm (0,8") and 28 mm (1,1")
- Available in 5 colours: Anthracite-PC, Chrome, Inox-AN, Taupe-PC, Antique-PC
- The brackets and decorative endcaps are available in matching colours
- Wide range of decorative finials offering great variety of design options
- Possibility to use without a finial for inside frame fix
- Length: 5,80 m (19")
- Rod quality: high-grade aluminium, chromated, powder coated or anodized
- Easy and quick assembly

## PROFILE

- Shown actual size 1:1
- Aluminium Extrusion
- Track Ø 20 mm (0,8"): Maximum 3 kilograms at a support distance of 1.5 meters.
- Track Ø 28 mm (1,1"): Up to 4 kilograms at a support distance of 2.5 meters.
- Dimensions: 20 mm (0,8") and 28 mm (1,1")



- 1 CRS Deco 20 mm (0,8")
- 2 CRS Deco 28 mm (1,1")
- 3 CRS end cap with 3 grooves
- 4 CRS wall bracket double
- 5 Eyelets with rings
- 6 Deco rod comes with a special inlay on top.



## APPLICATIONS



## SMOOTH AND SILENT OPERATION



Equipped with special inlay on top of rod for smooth operation and noise reduction.

## FOR USE IN

Domestic and / or project market, or at any location where a high quality, elegant and manually operated channel rod system is requested.

## SELECT YOUR FINIAL

Our large range of decorative finials offers you a great variety of design options. But is also possible to use without finial.




## MOUNTING BRACKETS

### CRS Ceiling Suspension Bracket

4 cm (1,6"), 5 cm (2") or 10 cm (4").

20 mm (0,8")/ 28 mm (1,1").




### CRS Wall Bracket, single

8 cm (3,1") Ø 20 (0,8") or 28 mm (1,1").

12 cm (4,7") Ø 20 (0,8") or 28 mm (1,1").


16 cm (6,3") Ø 20 (0,8") or 28 mm (1,1").



### CRS Wall Bracket, double


16 cm (6,3") Ø 20 mm (0,8")

16 cm (6,3") Ø 28 mm (1,1")




### CRS Wall Bracket, double

16 cm (6,3") Ø 20/28 mm (0,8/1,1")



### CRS Wall Bracket, double

20 cm (7,87") Ø 28 mm (1,1")



# FOREST CRS® Coded




## PRODUCT INFORMATION

- Elegant and trendy cord-operated channel rod system
- Curtain rod fitted with curtain carriers
- Available dimension: 28 mm (1,1")
- Bendable, both with an inside and outside corner
- Available in 6 colours: White-PC, Anthracite-PC, Chrome, Inox-AN, Taupe-PC, Antique-PC
- The brackets and endcaps are available in matching colours
- Wide range of decorative finials offering great variety of design options
- Length: 5,80 m (19")
- Rod quality: aluminium, chromated, powder coated or anodized
- Easy and quick assembly
- Forest Easyfold System (FES) for wave pleat also applicable on CRS Coded

## PROFILE


- Shown actual size 1:1
- Weight: 460 grammes per meter
- Aluminium extrusion
- Dimension: 28 mm (1,1")



- 1 CRS coded End pulley
- 2 CRS channel rod
- 3 Traverse cord
- 4 MRS carriers
- 5 Easyflex master carrier 90° left
- 6 Easyflex master carrier 90° right
- 7 CCS cord connector
- 8 Easyflex carriers
- 9 CRS coded end pulley base
- 10 CCS double cord connector




## APPLICATIONS



Cross-Section Channel Rod with cord connectors and carriers.

## BENDING / CURVING

The 28 mm (1,1") rod can be curved and reverse curved by using a radius of 20 cm (8").




## FOR USE IN

Domestic and / or contract market, or at any location where a high quality, elegant and corded operated channel rod system is required.

## MOUNTING BRACKETS


### CRS Ceiling Bracket



### CRS Ceiling Support

4 cm (1,6"), 5 cm (2") or 10 cm (4").


20 mm (0,8") / 28 mm (1,1").



### CRS Wall Bracket, single


8 cm (3,1"), 12 cm (4,7") and 16 cm (6,3")

(Base plate for the 12 cm (4,7") and 16 cm bracket is 6,2 cm (2,4"), similar to the double wall brackets.)




### CRS Wall Bracket, double

16 cm (6,3")




### CRS Wall Bracket, double

16 cm (6,3") Ø 20 mm (0,8") (manual) / 28 mm (1,1") (corded)




### CRS Wall Bracket, double

20 cm (7,87") Ø 28 mm (1,1")



# FOREST MOTORISED ROD SYSTEM - MRS®




## PRODUCT INFORMATION

- Comfortable and luxurious motorised channel rod system
- Curtain rod fitted with curtain carriers
- Two types of motors available:
  - 24 Volt Forest Shuttle with touch impulse
  - 230 Volt FMS with 30, 45 or 60 Watt
- Available dimension: 28 mm (1,1")
- Available in 8 colours: White-PC, Anthracite-PC, Chrome, Inox-PC, Inox-AN, Gold, Taupe-PC, Antique-PC
- The brackets and endcaps are available in matching colours
- Inox coloured components can be used for both the Inox and Bronze coloured channel rod
- Wide range of decorative finials offering great variety of design options
- Length: 5,80 m (19")
- Rod quality: high-grade aluminium, chromated, powder coated or anodized
- Easy-running return pulley
- Smooth and silent operation through Kevlar reinforcement of the transport belt
- Long life-span
- Easy opening and closing with the hand-held Diamond Sense remote control
- Domotica Ready
- Overlap carriers guarantees a complete closing of the curtains
- Forest Wave System for wave pleat also applicable on MRS



3



6



7




- 1 MRS channel rod
- 2 MRS end cap
- 3 MRS motor pulley equipped with high-quality ball bearings
- 4 MRS carrier round
- 5 Single master carrier
- 6 Kevlar transport belt
- 7 Easy running return pulley




## PROFILE

- Shown actual size 1:1
- Weight 480 gr/mtr
- Aluminium Extrusion
- Dimension: 28 mm (1,1")

28 mm (1,1")



## APPLICATIONS




## FOR USE IN

Domestic and / or contract market, or at any location where a high quality, elegant and motorised operated channel rod system is required.

## MOUNTING BRACKETS


### MRS Ceiling Bracket



### CRS Ceiling Suspension Bracket

4 cm (1,6"), 5 cm (2") or 10 cm (4")


20 mm (0,8")/ 28 mm (1,1").



### CRS Wall Bracket, single

12 cm (4,7") Ø 20 (0,8") or 28 mm (1,1").


16 cm (6,3") Ø 20 (0,8") or 28 mm (1,1").



### CRS Wall Bracket, double with 4 cm wall bracket extension


16 cm (6,3") Ø 20 mm (0,8")

16 cm (6,3") Ø 28 mm (1,1")



### CRS Wall Bracket, double

20 cm (7,87") Ø 28 mm (1,1")



# FOREST MOTORISED ROD SYSTEM - MRS®

## COMPATIBLE WITH



[www.amx.com](http://www.amx.com)

In Concert Partner



[www.knx.nl](http://www.knx.nl)

KNX partner



[www.z-wave.com](http://www.z-wave.com)

Z Wave alliance partner



[www.crestron.com](http://www.crestron.com)

I2P partner



SMARTHOMES

[www.smart-homes.nl](http://www.smart-homes.nl)

Smart homes partner

Motorised Rod System (MRS®) is compatible with many other Building Automation systems, thanks to its modular construction. A competitive advantage over the motorised drapery systems in the world!

## CONTROL OPTIONS

Our broad range of controls make finding a fit for your home even easier; controlling the curtains by hand, remote or even by building automation system. With the remote you can control the curtains in any position you like. Controlling the motorised rod system by your smartphone or tablet, you can create and schedule customized room scenes that allow your curtains to operate on their own throughout the day.



### FOREST WIRELESS CONNECTOR

The Forest Wireless Connector is an easy way to make the motorised rod system 'smart'. This wireless remote solution works in combination with an analogue timer or a smart plug with which services as Apple Home Kit or Google Assistant become available. It is also easily incorporated into most popular building management systems, including dry contact controls.



### FOREST DIAMOND SENSE REMOTE

15 Channel Remote control, possibility to control up to 15 systems individually and in group by integrated timer function or manual. Auto-On mode, when holding hand above it, the integrated LED light will automatically come on. Radio control, range up to 30 meters. Including magnetic wall support.










### BUILDING AUTOMATION









The MRS® system can be connected to any Building Automation system, by relay control.


















### HOTEL CONTROL










The MRS® system can be connected to any Hotel Automation system, by relay control.

| CRS<br>20 mm | CRS<br>28 mm | CRS<br>DECO 20 | CRS<br>DECO 28 | CRS<br>CORDED | MRS | ARTICLE                                                                                                                                                                                         | PACKING UNIT  |                                                                                                          | ART.NR                                                                                                                                                     |
|--------------|--------------|----------------|----------------|---------------|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ●            |              |                |                |               |     |  CRS CHANNEL ROD Ø 20 MM (0.8")<br>Extruded aluminium, chromated, powder coated                          | 5.80 mtr/tube | white<br>gold<br>Inox-an<br>Inox-pc<br>bronze<br>black<br>antique-pc<br>anthracite-pc<br>chrome          | 5801201580<br>5801202580<br>5801203580<br>5801203580-PC<br>5801204580<br>5801206580-PC<br>5801209580-PC<br>5801205580-PC<br>5801207580                     |
|              | ●            |                |                |               |     |  CRS CHANNEL ROD Ø 28 MM (1.1")<br>Extruded aluminium, chromated, powder coated                          | 5.80 mtr/tube | white<br>gold<br>Inox-an<br>Inox-pc<br>bronze<br>black<br>antique<br>anthracite-pc<br>taupe-pc<br>chrome | 5801281580<br>5801282580<br>5801283580<br>5801283580-PC<br>5801284580-AN<br>5801286580-PC<br>5801289580-PC<br>5801285580-PC<br>5801284580-PC<br>5801287580 |
|              |              | ●              |                |               |     |  CRS DECO ROD Ø 20 MM (0.8")<br>Extruded aluminium, chromated, powder coated                             | 5.80 mtr/tube | Inox-an<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome                                             | 5841208580<br>5841209580-PC<br>5841204580-PC<br>5841205580-PC<br>5841207580                                                                                |
|              |              |                | ●              |               |     |  CRS DECO ROD Ø 28 MM (1.1")<br>Extruded aluminium, chromated, powder coated incl. inlay strip           | 5.80 mtr/tube | Inox-an<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome                                             | 5841283580<br>5841289580-PC<br>5841284580-PC<br>5841285580-PC<br>5841287580                                                                                |
|              |              |                |                | ●             |     |  CRS CHANNEL ROD CORDED Ø 28 MM (1.1")<br>Extruded aluminium, chromated, powder coated incl. inlay strip | 5.80 mtr/tube | white<br>Inox-an<br>Inox-pc<br>antique-pc<br>anthracite-pc<br>chrome                                     | 5811281580-PC<br>5811283580<br>5811283580-PC<br>5811289580-PC<br>5811286580-PC<br>5701287520                                                               |
|              |              |                |                |               | ●   |  MRS MOTORISED ROD Ø 28 MM (1.1")<br>Extruded aluminium, chromated, powder coated                      | 5.80 mtr/tube | white<br>gold<br>Inox-an<br>Inox-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome                 | 5701281580-PC<br>5701282580<br>5701283580<br>5701283580-PC<br>5701289580-PC<br>5701284580-PC<br>5701286580-PC<br>5701287520                                |
| ●            | ●            |                |                | ●             |     |  CRS CARRIER ROUND                                                                                           | 500/box       | white<br>silver<br>black                                                                                 | 5810101000<br>5810103000<br>5810106000                                                                                                                     |
|              |              |                |                |               | ●   |  MRS CARRIER ROUND                                                                                           | 500/box       | white<br>silver<br>black                                                                                 | 5710101000<br>5710103000<br>5710106000                                                                                                                     |
|              | ●            |                |                |               |     |  CS BALL BEARING (SMALL)<br>carrier 16 mm for 28 mm CRS manual                                               | 100/box       | white<br>black                                                                                           | 2512000016<br>2512006016                                                                                                                                   |
|              |              | ●              |                |               |     |  CRS DECO CURTAIN RING FOR 20 MM                                                                             | 25/box        | inox-pc<br>taupe-pc<br>anthracite-pc<br>chrome<br>antique-pc                                             | 5841203000-PC<br>5841204000-PC<br>5841205000-PC<br>5841207000<br>5841209000-PC                                                                             |
|              |              |                | ●              |               |     |  CRS DECO CURTAIN RING FOR 28 MM                                                                             | 25/box        | inox-pc<br>taupe-pc<br>anthracite-pc<br>chrome<br>antique-pc                                             | 5841283000-PC<br>5841284000-PC<br>5841285000-PC<br>5841287000<br>5841289000-PC                                                                             |
| ●            |              |                |                | ●             |     |  CRS METAL ENDSTOP WITH SCREW<br>for 20 mm (0,8")                                                      | 2/box         |                                                                                                          | 5816101000                                                                                                                                                 |
|              | ●            |                |                | ●             |     |  CRS METAL ENDSTOP WITH SCREW<br>for 28 mm (1.1")                                                      | 100/box       |                                                                                                          | 5816101001                                                                                                                                                 |
| ●            |              |                |                |               |     |  CRS METAL ENDSTOP WITH SCREW-EYE<br>for 20 mm (0,8")                                                  | 100/box       |                                                                                                          | 5816102000                                                                                                                                                 |
|              | ●            |                |                |               |     |  CRS METAL ENDSTOP WITH SCREW-EYE<br>for 28 mm (1.1") long                                     | 100/box       |                                                                                                          | 5816102001                                                                                                                                                 |
| ●            |              |                |                |               |     |  CRS METAL ENDSTOP WITH SCREW-EYE<br>for 20 mm (1.1") long                                     | 100/box       |                                                                                                          | 5816102002                                                                                                                                                 |

| CRS<br>20 mm | CRS<br>28 mm | CRS<br>DECO 20 | CRS<br>DECO 28 | CRS<br>CORDED | MRS | ARTICLE                                                                                                                                                 | PACKING UNIT                                                                                             | ART.NR                                                                                                                                    |
|--------------|--------------|----------------|----------------|---------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
|              | ●            |                |                | ●             | ●   |  EASYFLEX ENDBOOK                                                      | 500/box<br>white<br>black                                                                                | 4812801000<br>4812806000                                                                                                                  |
| ●            | ●            |                |                | ●             |     |  CRS RAIL CONNECTOR (6 CM)                                             | 10/box                                                                                                   | 5815200006                                                                                                                                |
|              |              | ●              | ●              |               |     |  CRS DECO / MRS RAILVERBINDER (20/28mm)<br><i>Available in Q1 2021</i> | 10/box                                                                                                   | 5815200005                                                                                                                                |
| ●            | ●            | ●              | ●              | ●             |     |  CRS CORNER CONNECTOR (5 CM)                                           | 10/box                                                                                                   | 5815200007                                                                                                                                |
| ●            |              | ●              |                |               |     |  CRS FINIAL SHORT ENDCAP Ø 20 MM<br><i>Available in Q1 2021</i>        | 10/box<br>white<br>Inox-an<br>Inox-pc<br>taupe-pc<br>anthracite-pc<br>black<br>antique-pc                | 5816101220-PC<br>5816103220<br>5816103220-PC<br>5816104220-PC<br>5816105220-PC<br>5816106220-PC<br>5816109220-PC                          |
|              | ●            |                | ●              |               |     |  CRS FINIAL SHORT ENDCAP Ø 28 MM                                       | 10/box<br>white<br>Inox-an<br>Inox-pc<br>taupe-pc<br>anthracite-pc<br>black<br>antique-pc                | 5816101228-PC<br>5816103228<br>5816103228-PC<br>5816104228-PC<br>5816105228-PC<br>5816106228-PC<br>5816109228-PC                          |
| ●            |              | ●              |                |               |     |  CRS FINIAL Ø 20 MM                                                   | 10/box<br>white<br>gold<br>Inox-an<br>Inox-pc<br>black<br>antique-pc<br>anthracite-pc<br>chrome          | 5816101020<br>5816102020<br>5816103020<br>5816103020-PC<br>5816106020-PC<br>5816109020-PC<br>5816105020-PC<br>5816107020                  |
|              | ●            |                | ●              |               | ●   |  CRS FINIAL Ø 28 MM                                                  | 10/box<br>white<br>gold<br>Inox-an<br>Inox-pc<br>black<br>antique<br>taupe-pc<br>anthracite-pc<br>chrome | 5816101028<br>5816102028<br>5816103028<br>5816103028-PC<br>5816106028-PC<br>5816109028-PC<br>5816104028-PC<br>5816105028-PC<br>5816107028 |
|              | ●            |                | ●              |               | ●   |  CRS/MRS FINIAL ROUND 60 MM<br>28 mm                                 | 2/box<br>gold<br>Inox-an<br>black<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome                   | 5716102100<br>5716103100<br>5716106100-PC<br>5716109100-PC<br>5716104100-PC<br>5716105100-PC<br>5716107100                                |
|              | ●            |                | ●              |               | ●   |  CRS/MRS FINIAL ROUND 70 MM<br>28 mm                                 | 2/box<br>gold<br>inox-an<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome                            | 5716102000<br>5716103000<br>5716109000-PC<br>5716104000-PC<br>5716105000-PC<br>5716107000                                                 |
|              | ●            |                | ●              |               | ●   |  CRS FINIAL WITH 3 GROOVES<br>20 mm                                  | 2/box<br>inox-an<br>anthracite-pc<br>chrome                                                              | 5816103120<br>5816105120-PC<br>5816107120                                                                                                 |
| ●            |              | ●              |                |               |     |  CRS/MRS FINIAL WITH 3 GROOVES<br>28 mm                              | 2/box<br>gold<br>inox-an<br>black<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome                   | 5816102128<br>5816103128<br>5816106128-PC<br>5816109128-PC<br>5816104128-PC<br>5816105128-PC<br>5816107128                                |
|              |              |                |                | ●             |     |  CRS CORDED END PULLEY<br>complete                                   | 2/box<br>white<br>gold<br>inox-an<br>inox-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc                  | 6130201001-PC<br>6130202001<br>6130203001<br>6130203001-PC<br>6130209001-PC<br>6130204001-PC<br>6130206001-PC                             |
|              |              |                |                | ●             |     |  CRS CORDED CENTRE PULLEY<br>complete                                | 2/box<br>white<br>inox-an<br>inox-pc<br>antique-pc<br>taupe-pc<br>anthracite-pc                          | 6130251001-PC<br>6130253001<br>6130253001-PC<br>6130259001-PC<br>6130254001-PC<br>6130256001-PC                                           |

| CRS<br>20 mm | CRS<br>28 mm | CRS<br>DECO 20 | CRS<br>DECO 28 | CRS<br>CORDED | MRS | ARTICLE                                                                                                                                    | PACKING UNIT |                                                                                                   | ART.NR                                                                                                                                    |
|--------------|--------------|----------------|----------------|---------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| ●            | ●            |                |                | ●             | ●   |  CRS CEILING BRACKET Ø 20/28 MM with slot                 | 100/box      | aluminium                                                                                         | 5818003000                                                                                                                                |
| ●            | ●            |                |                | ●             | ●   |  CRS CEILING BRACKET Ø 20/28 MM with hole                 | 100/box      | white<br>inox                                                                                     | 5818003101<br>5818003103                                                                                                                  |
|              |              |                |                | ●             | ●   |  MRS CEILING BRACKET SMALL, 1,5 CM                        | 4/box        | chrome                                                                                            | 5718407050                                                                                                                                |
|              | ●            |                |                | ●             | ●   |  CRS SWIVEL FOR 28 MM ROD                                 | 100/box      |                                                                                                   | 5863001000                                                                                                                                |
| ●            | ●            | ●              | ●              | ●             | ●   |  CRS CEILING SUSPENSION BRACKET 4 CM (1.57") Ø 20/28 mm   | 2/box        | white<br>gold<br>Inox-an<br>Inox-pc<br>black<br>antique-pc<br>anthracite-pc<br>chrome             | 5818112000<br>5818122000<br>5818132000<br>5818132000-PC<br>5818162000-PC<br>5818192000-PC<br>5818152000-PC<br>5818012028                  |
| ●            | ●            |                |                | ●             | ●   |  CRS CEILING SUSPENSION BRACKET 5 CM (1.96") Ø 20/28 mm   | 2/box        | white<br>gold<br>Inox-an<br>Inox-pc<br>antique-pc                                                 | 5818112028<br>5818122028<br>5818132028<br>5818132028-PC<br>5818192028-PC                                                                  |
| ●            | ●            |                |                |               |     |  CRS CEILING SUSPENSION BRACKET 10 CM (3.93") Ø 20/28 mm | 2/box        | white<br>gold<br>Inox-an<br>Inox-pc<br>black<br>antique-pc<br>anthracite-pc                       | 5818012028<br>5818022028<br>5818032028<br>5818032028-PC<br>5818062028-PC<br>5818092028-PC<br>5818052028-PC                                |
| ●            |              | ●              |                |               |     |  CRS WALL BRACKET SINGLE 8 CM (3.15") Ø 20 mm           | 2/box        | white<br>gold<br>Inox-an<br>Inox-pc<br>black<br>antique-pc<br>anthracite-pc<br>chrome             | 5820080120<br>5820080220<br>5820080320<br>5820080320-PC<br>5820080620-PC<br>5820080920-PC<br>5820080520-PC<br>5820080720                  |
|              | ●            |                | ●              | ●             |     |  CRS WALL BRACKET SINGLE 8 CM (3.15") Ø 28 mm           | 2/box        | white<br>gold<br>Inox-an<br>Inox-pc<br>black<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome | 5820080128<br>5820080228<br>5820080328<br>5820080328-PC<br>5820080628-PC<br>5820080928-PC<br>5820080428-PC<br>5820080528-PC<br>5820080728 |
| ●            |              | ●              |                |               |     |  CRS WALL BRACKET SINGLE 12 CM (4.72") Ø 20 mm          | 2/box        | white<br>gold<br>Inox-an<br>Inox-pc<br>black<br>antique-pc<br>anthracite-pc<br>chrome             | 5820120120<br>5820120220<br>5820120320<br>5820120320-PC<br>5820120620-PC<br>5820120920-PC<br>5820120520-PC<br>5820120720                  |
|              | ●            |                | ●              | ●             | ●   |  CRS WALL BRACKET SINGLE 12 CM (4.72") Ø 28 mm          | 2/box        | white<br>gold<br>Inox-an<br>Inox-pc<br>black<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome | 5820120128<br>5820120228<br>5820120328<br>5820120328-PC<br>5820120628-PC<br>5820120928-PC<br>5820120428-PC<br>5820120528-PC<br>5820120728 |
| ●            |              | ●              |                |               |     |  CRS WALL BRACKET SINGLE 16 CM (6.29") Ø 20 mm          | 2/box        | white<br>gold<br>Inox-an<br>Inox-pc<br>black<br>antique-pc                                        | 5820160120<br>5820160220<br>5820160320<br>5820160320-PC<br>5820160620-PC<br>5820160920-PC                                                 |
|              | ●            |                | ●              | ●             | ●   |  CRS WALL BRACKET SINGLE 16 CM (6.29") Ø 28 mm          | 2/box        | white<br>gold<br>Inox-an<br>Inox-pc<br>black<br>antique-pc<br>taupe-pc<br>anthracite-pc           | 5820160128<br>5820160228<br>5820160328<br>5820160328-PC<br>5820160628-PC<br>5820160928-PC<br>5820160428-PC<br>5820160528-PC               |

| CRS<br>20 mm | CRS<br>28 mm | CRS<br>DECO 20 | CRS<br>DECO 28 | CRS<br>CORDED | MRS | ARTICLE                                                                                                                                | PACKING UNIT |                                                                                                   | ART.NR                                                                                                                                    |
|--------------|--------------|----------------|----------------|---------------|-----|----------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| ●            |              | ●              |                |               |     |  CRS WALL BRACKET DOUBLE 16 CM<br>(6.29'') Ø 20 mm    | 2/box        | white<br>gold<br>Inox-an<br>Inox-pc<br>black<br>antique-pc<br>chrome                              | 5822160120<br>5822160220<br>5822160320<br>5822160320-PC<br>5822160620-PC<br>5822160920-PC<br>5822160720                                   |
|              | ●            |                | ●              | ●             | ●   |  CRS WALL BRACKET DOUBLE 16 CM<br>(6.29'') Ø 28 mm    | 2/box        | white<br>gold<br>Inox-an<br>Inox-pc<br>black<br>antique-pc<br>taupe-pc<br>anthracite-pc           | 5822160128<br>5822160228<br>5822160328<br>5822160328-PC<br>5822160628-PC<br>5822160928-PC<br>5822160428-PC<br>5822160528-PC               |
|              | ●            |                | ●              |               |     |  CRS WALL BRACKET DOUBLE 20 CM<br>(7.87'') Ø 28 mm    | 2/box        | white<br>gold<br>Inox-an<br>Inox-pc<br>black<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome | 5822200128<br>5822200228<br>5822200328<br>5822200328-PC<br>5822200628-PC<br>5822200928-PC<br>5822200428-PC<br>5822200528-PC<br>5822200728 |
| ●            | ●            |                |                |               |     |  CRS WALL BRACKET DOUBLE 16 CM<br>(6.29'') Ø 20/28 mm | 2/box        | white<br>gold<br>Inox-an<br>Inox-pc<br>black<br>antique-pc                                        | 5822012028<br>5822022028<br>5822032028<br>5822032028-PC<br>5822036028-PC<br>5822039028-PC                                                 |
| ●            | ●            |                |                | ●             | ●   |  CRS WALL BRACKET EXTENSION 4 CM                     | 10/box       | white<br>gold<br>Inox-an<br>Inox-pc<br>black<br>antique-pc<br>anthracite-pc<br>chrome             | 5815201030<br>5815202030<br>5815203030<br>5815203030-PC<br>5815206030-PC<br>5815209030-PC<br>5815205030-PC<br>5715107040                  |
| ●            | ●            |                |                | ●             | ●   |  CRS WALL BRACKET EXTENSION 8 CM                    |              | gold<br>Inox-an<br>Inox-pc<br>black<br>antique-pc<br>chrome                                       | 5815102020<br>5815103020<br>5815103020-PC<br>5815106020-PC<br>5815109020-PC<br>5715107080                                                 |
| ●            | ●            |                |                | ●             | ●   |  CRS ADJUSTABLE BRACKET EXTENSION                   | 10/box       | white<br>Inox-an<br>Inox-pc<br>black<br>antique-pc                                                | 5815101070<br>5815103070<br>5815103070-PC<br>5815106070-PC<br>5815109070-PC                                                               |
| ●            |              |                |                |               |     |  CRS INSIDE WALL BRACKET Ø 20 MM                    | 10/box       | white<br>gold<br>Inox-an<br>Inox-pc<br>black<br>antique-pc                                        | 5817101020<br>5817102020<br>5817103020<br>5817103020-PC<br>5817106020-PC<br>5817109020-PC                                                 |
|              | ●            |                |                |               | ●   |  CRS INSIDE WALL BRACKET Ø 28 MM                    | 10/box       | white<br>gold<br>Inox-an<br>Inox-pc<br>black<br>antique-pc<br>taupe-pc<br>anthracite-pc<br>chrome | 5817101028<br>5817102028<br>5817103028<br>5817103028-PC<br>5817106028-PC<br>5817109028-PC<br>5817104028-PC<br>5817105028-PC<br>5817107028 |
|              |              |                |                |               | ●   |  MRS MOTOR PULLEY LEFT                              | 1/box        | white<br>gold<br>Inox-an<br>Inox-pc<br>antique<br>taupe-pc<br>anthracite-pc<br>chrome             | 5730101000-PC<br>5730102000<br>5730108000<br>5730108000-PC<br>5730109000<br>5730104000-PC<br>5730106000-PC<br>5730107000                  |
|              |              |                |                |               | ●   |  MRS MOTOR PULLEY RIGHT                             | 1/box        | white<br>gold<br>Inox-an<br>Inox-pc<br>antique<br>taupe-pc<br>anthracite-pc<br>chrome             | 5730201000-PC<br>5730202000<br>5730208000<br>5730208000-PC<br>5730209000<br>5730204000-PC<br>5730206000-PC<br>5730207000                  |

| CRS<br>20 mm | CRS<br>28 mm | CRS<br>DECO 20 | CRS<br>DECO 28 | CRS<br>CORDED | MRS | ARTICLE                                                                                                                                                                         | PACKING UNIT |                                                                                       | ART.NR                                                                                                                   |
|--------------|--------------|----------------|----------------|---------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
|              |              |                |                |               | ●   |  MRS RETURN PULLEY LEFT                                                                        | 1/box        | white<br>gold<br>Inox-an<br>Inox-pc<br>antique<br>taupe-pc<br>anthracite-pc<br>chrome | 5730111000-PC<br>5730112000<br>5730118000<br>5730118000-PC<br>5730119000<br>5730114000-PC<br>5730116000-PC<br>5730117000 |
|              |              |                |                |               | ●   |  MRS RETURN PULLEY RIGHT                                                                       | 1/box        | white<br>gold<br>Inox-an<br>Inox-pc<br>antique<br>taupe-pc<br>anthracite-pc<br>chrome | 5730121000-PC<br>5730122000<br>5730128000<br>5730128000-PC<br>5730129000<br>5730124000-PC<br>5730126000-PC<br>5730127000 |
|              |              |                |                | ●             |     |  CKS / CCS CORD ON ROLL                                                                        | 250 Mtr/roll | white<br>grey<br>black                                                                | 1030401000<br>1030403000<br>1030406000                                                                                   |
|              |              |                |                | ●             |     |  CCS CORD CONNECTOR                                                                            | 100/box      | white<br>grey<br>black                                                                | 3030301000<br>3030303000<br>3030306000                                                                                   |
|              |              |                |                | ●             |     |  CCS DOUBLE CORD CONNECTOR                                                                     | 100/box      | white<br>grey<br>black                                                                | 3030301010<br>3030303010<br>3030306010                                                                                   |
|              |              |                |                | ●             |     |  ASSEMBLY TOOL FOR CKS/CCS/CRS<br>CORD CONNECTOR                                               | Piece        |                                                                                       | 9510000027                                                                                                               |
|              |              |                |                | ●             |     |  CORD/CHAIN WEIGHT DESIGN                                                                     | 10/box       | white<br>black<br>silver                                                              | 3030701000<br>3030706000<br>3030703000                                                                                   |
|              |              |                |                | ●             |     |  CKS / CCS TENSION PULLEY                                                                    | 25/box       |                                                                                       | 1030501000                                                                                                               |
|              |              |                |                | ●             |     |  BS CORD / CHAIN WALL MOUNT SAFE-<br>TY BOX SINGLE                                           | 25/box       |                                                                                       | 3645702000                                                                                                               |
|              |              |                |                |               | ●   |  FMS TRANSPORT BELT                                                                          | 100 Mtr/roll |                                                                                       | 5105501000                                                                                                               |
|              |              |                |                |               | ●   |  EASYFOLD MRS BELT CONNECTOR                                                                 | 25/box       |                                                                                       | 4805711500                                                                                                               |
| ●            | ●            |                |                | ●             | ●   |  EASYFOLD PLASTIC MASTER<br>UNDERLAP                                                         | 25/box       | white<br>silver<br>black<br>transparent                                               | 4815201010<br>4815203010<br>4815206010<br>4815201000                                                                     |
| ●            | ●            |                |                | ●             | ●   |  EASYFOLD PLASTIC MASTER<br>STRAIGHT/OVERLAP                                                 | 25/box       | white<br>silver<br>black<br>transparent                                               | 4815101010<br>4815103010<br>4815106010<br>4815101000                                                                     |
|              |              |                |                | ●             | ●   |  FMS Master CARRIER UNDERLAP<br>Multifunctional - arm is reversible for<br>Click on stiffner | 15/box       | white<br>silver<br>black                                                              | 5215801010<br>5215803010<br>5215806010                                                                                   |
|              |              |                |                | ●             | ●   |  FMS MASTER CARRIER OVERLAP<br>Multifunctional – arm is reversible for<br>Click on stiffner  | 15/box       | white<br>silver<br>black                                                              | 5215901010<br>5215903010<br>5215906010                                                                                   |
| ●            |              |                |                |               |     |  COMPACT BENDING HOUSE,<br>for Ø 20 mm (0,8") CRS                               | 1/each       |                                                                                       | 1050000000                                                                                                               |
| ●            |              |                |                |               |     |  CRS BENDING WHEEL,<br>for Ø 20 mm (0,8") CRS incl. strips   | 1/each       |                                                                                       | 5860000020                                                                                                               |
| ●            | ●            |                |                |               |     |  CONTRACT BENDING TOOL,<br>for Ø20 and Ø 28 mm (1.1") CRS                       | 1/each       |                                                                                       | 2560000000                                                                                                               |

| CRS<br>20 mm | CRS<br>28 mm | CRS<br>DECO 20 | CRS<br>DECO 28 | CRS<br>CORDED | MRS | ARTICLE | PACKING UNIT                                                                                 |         | ART.NR                              |                                        |
|--------------|--------------|----------------|----------------|---------------|-----|---------|----------------------------------------------------------------------------------------------|---------|-------------------------------------|----------------------------------------|
| ●            |              |                |                |               |     |         | CRS CONTRACT BENDING WHEEL ALL-IN Ø 20 cm (8\"/><br>for Ø 20 mm (0,8\"/><br>CRS incl. strips | 1/each  | 5860200020                          |                                        |
|              | ●            |                |                |               |     |         | CRS BENDING WHEEL Ø 40 cm (16\"/><br>for Ø 28 mm (1.1\") CRS inll.strips                     | 1/each  | 5860000028                          |                                        |
| ●            |              |                |                |               |     |         | CRS BENDING STRIPS Ø 20 mm (0.8\"/><br>60 cm (23.6\"))                                       | 1/each  | 5860100020                          |                                        |
|              | ●            |                |                |               |     |         | CRS BENDING STRIPS, Ø 28 mm (1.1\"/><br>60 cm (23.6\"))                                      | 1/each  | 5860100028                          |                                        |
| ●            |              |                |                |               |     |         | CRS Bending Strips, Ø 20 mm (0.8\"/><br>7 cm (23\"))                                         | 1/each  | 5860700020                          |                                        |
|              | ●            |                |                |               |     |         | CRS BENDING STRIPS, Ø 28 mm (1.1\"/><br>7 cm (23\"))                                         | 1/each  | 5860700028                          |                                        |
|              | ●            |                |                |               |     |         | BENDING STANDARD<br>Standard for contract<br>bending tool 28 mm (1,1\"))                     | 1/each  | 2560700000                          |                                        |
| ●            | ●            |                |                |               |     |         | ELECTRIC POWERED BENDER<br>Available in<br>230V or 115V                                      | 1/each  | 1060500000                          |                                        |
| ●            | ●            |                |                |               |     |         | SET CRS BENDING WHEELS<br>Ø 20/28 mm (0,8/1,1\"))                                            | 1/set   | 5860702028                          |                                        |
| ●            | ●            | ●              | ●              | ●             | ●   |         | CHANNEL ROD LUBRICANT SPRAY                                                                  |         | 5109020000                          |                                        |
| ●            | ●            | ●              | ●              |               |     |         | KS DRAW STICK FIBERGLASS                                                                     | 100/box | 92 cm<br>122 cm<br>152 cm           | 1065101092<br>1065101122<br>1065101152 |
|              |              |                |                |               |     |         | KS DRAW STICK TRANSPARENT                                                                    | 50/box  | 92 cm<br>122 cm<br>152 cm           | 1065102092<br>1065102122<br>1065102152 |
|              |              |                |                |               |     |         | KS DRAW STICK ALUMINIUM WHITE                                                                | 50/box  | 92 cm<br>122 cm<br>152 cm           | 1065111092<br>1065111122<br>1065111152 |
|              |              |                |                |               |     |         | KS DRAW STICK ALUMINIUM SILVER                                                               | 50/box  | 92 cm<br>122 cm<br>152 cm<br>202 cm | 1065113092<br>1065113122<br>1065113152 |
|              |              |                |                |               |     |         | KS DRAW STICK ALUMINIUM BLACK                                                                | 50/box  | 92 cm<br>122 cm<br>152 cm           | 1065116092<br>1065116122<br>1065116152 |
|              |              |                |                |               |     |         | KS DRAW STICK ALUMINIUM ANTIQUE                                                              | 50/box  | 92 cm<br>122 cm<br>152 cm           | 1065119092<br>1065119122<br>1065119152 |
|              |              |                |                |               |     |         | FOREST CRS/MRS COLOUR SAMPLER                                                                | 1/each  |                                     | 9904100101                             |
|              |              |                |                |               |     |         | ●                                                                                            | ●       | ●                                   | ●                                      |

