



MANUAL
OPERATION



HOTEL
TRACK

FOREST CS[®] *Contract System*

Heavy duty hand drawn curtain track system for medium and heavy draperies.

THE WORLD
BEHIND
YOUR
CURTAINS






PRODUCT INFORMATION

- Heavy duty hand drawn system for medium and heavy draperies.
- Bendable; it can be curved and reversed curved using a 20 cm (8") radius or continuous curve.
- Heavy duty clickable carriers - 10 carriers on a breakaway strip - UV protected. Can also be used with ball bearing carriers.
- Ideal for use with overlap masters and batons which can be mounted behind or in front of draperies.
- Can also be used for the Forest Wave System (FES) and accordiafold drapery systems.
- Maximum fabric weight: 15 kg per mtr (11,25 LBS per ft).
- Colours available: white, black, silver and brown.
- Track finish: chromated powder coating with a factory applied patented dry lubricant.
- Available lengths: 3.66 m (12'), 4.27 m (14'), 4.88 m (16'), 6.10 m (20').
- Limited lifetime warranty.


- 1 CS Track
- 2 Carrier
- 3 Master Carrier R/L Overlap
- 4 Master Carrier R/L Underlap
- 5 Ball bearing carrier
- 6 Endcap with screw






PROFILE

- Weight: 235 gram p. mtr (2.53 ounce - ft).
- Aluminium Extrusion
- Dimensions: 20 mm x 20 mm (0,8" x 0,8")




FOR USE IN

Hotels - Motels - offices - schools - healthcare residential or at any location where a heavy duty hand drawn system is required.



Easy installation
click - position - tighten




clickable carrier


38 mm (1,5")

BENDING / CURVING


The track can be curved and reversed curved using a 20 cm (8") radius. Continuous curving is also possible with the electrical bending tool.



APPLICATIONS




CLICK-ON STIFFNER




MOUNTING BRACKETS


Smart Klick Ceiling bracket



A) Min. 20 cm (8'')



A) Min. 20 cm (8'')




Other brackets are available. Brackets need to be placed every 60 cm (24'').

SK Aluminium Wall bracket single

A) 7,5 cm (3'') B) 6,3 cm (2,5'')

A) 10 cm (4'') B) 8,8 cm (3,5'')




Smart Klick Cover
Cap for Aluminium
Wall bracket

SK Aluminium Wall bracket double

A) 15 cm (6'') B) 9,2 cm (3,6'') C) 4,5 cm (1,8'')


A) 20 cm (8'') B) 9,2 cm (3,6'') C) 9,5 cm (3,7'')



Smart Klick Cover
Cap for Aluminium
Wall bracket








SK Aluminium Wall bracket triple












A) 25 cm (10'')









Smart Klick Cover
Cap for Aluminium
Wall bracket

Brackets need to be placed every 50 - 60 cm (20''), depending on fabric weight.

CS		ARTICLE	PACKING UNIT		ART.NR
		CS TRACK WHITE Extruded aluminium chromated, powder coating, factory lubricated.	10/bundle	3,66 meter (12') 4,27 meter (14') 4,88 meter (16') 6,10 meter (20')	2501001366 2501001427 2501001488 2501001610
		CS TRACK SILVER Extruded aluminium chromated, powder coating, factory lubricated	10/bundle	4,88 meter (16') 6,10 meter (20')	2501003488 2501003610
		CS TRACK BROWN Extruded aluminium chromated, powder coating, factory lubricated.	10/bundle	4,88 meter (16') 6,10 meter (20')	2501005488 2501005610
		CS TRACK BLACK Extruded aluminium chromated, powder coating, factory lubricated.	10/bundle	6,10 meter (20')	2501006610
		CS/CCS/FMS TRACK CONNECTOR Used to make a solid connection between two pieces of track.	10/box	white silver black	2518401000 2518403000 2518406000
		CS ENDCAP UNIVERSAL LONG WITH SCREW	100/box	white silver black	2516400000 2516403000 2516406000
		CS ENDCAP UNIVERSAL SHORT WITH SCREW	100/box	white silver black	2516401001 2516403001 2516406001
		CS / CCS AS CARRIER "Clickable", offset, constructed of UV-resistant plastic. 10 Carriers on a break-away strip. Can be clicked in after	250/box	white silver black	2510101000 2510103000 2510106000
		CS STOPCARRIER Clickable.	100/box	white silver	2510201000 2510203000
		CS / CCS CARRIER AS WITH HOOK Clickable.	100/box	white silver	2510501000 2510503000
		CS ECONOMY SLIDE Can turn in the track.	500/box 500/box	white black	2510601000 2510606000
		CS BALL BEARING CARRIER 20MM CS BALL BEARING CARRIER 20MM	100/box	white black	2512000000 2512006000
		CS BALL BEARING CARRIER 16MM SMALL CS BALL BEARING CARRIER 16MM SMALL		white black	2512000016 2512006016
		CS BALL BEARING CARRIER 25MM LARGE			2512100000
		CS UNDERLAP CARRIER R/L	25/box	white	2514600000
		CS OVERLAP CARRIER R/L	25/box	white	2514700000

CS		ARTICLE	PACKING UNIT		ART.NR
●		CS MASTER CARRIER BASE R/L WHITE	25/box	white	481450000
●		PROLONGED OVERLAP ARM 150MM R/L FOR CLICK-ON STIFFNER	15/box		9500001010
●		STIFFNER "CLICK-ON"	15/box		5116001001
●		Z-ARM UNIVERSAL 175MM R/L	15/box	white	9500001030
●		FMS EASYFLEX CURVED ARM R/L WHITE	15/box	Pc.	5135901020
●		SUSPENSION BRACKET CLIP FOR MTS CEILING SUPPORT	50/box	Pc.	1016901000
●		SMART KLICK CEILING BRACKET INCL COVER CAP "Klicks" onto track, powder coated.	100/box	white silver brown black	1018201001 1018203001 1018205001 1018206001
●		SUSPENDED CEILING BRACKET, METAL For installation on to a suspended ceiling. The track can be fixed in any angle.	25/box		4519001000
●		SMART KLICK CEILING BRACKET DOUBLE LONG Distance between two tracks: 90 mm (3,5") SMART KLICK CEILING BRACKET DOUBLE SHORT	30/box	white	1018601000 1018611000
●		MTS SUSPENSION Ceiling Bracket Length: 10 cm (4") - 1 m (3,3') 1 m (3,3') - 1,5 m (4,9')	1/each		4518201000 4518201500
●		KS ADJUSTABLE WALL BRACKET, SINGLE	100/box	white silver	1020801115 1020803115
●		KS ADJUSTABLE WALL BRACKET, DOUBLE	50/box	white silver	1020801195 1020803195

CS	ARTICLE	PACKING UNIT	ART.NR	
	SMART KLICK ALUMINIUM WALL BRACKET 7,5 cm	20/box	white silver brown black	1020301075 1020303075 1020305075 1020306075
	SMART KLICK ALUMINIUM WALL BRACKET 10 cm	20/box	white silver black	1020301100 1020303100 1020306100
	SMART KLICK ALUMINIUM WALL BRACKET 15 cm	15/box	white silver brown black	1020301150 1020303150 1020305150 1020306150
	SMART KLICK ALUMINIUM WALL BRACKET 20 cm	15/box	white silver black	1020301200 1020303200 1020306200
	SMART KLICK ALUMINIUM WALL BRACKET 25 cm	10/box	white silver black	1020301250 1020303250 1020305250
	COVER CAP FOR SMART KLICK ALUMINIUM WALL BRACKET	50/box	white silver black	1021301000 1021303000 1021306000
	FLICKSTICK FIBERGLASS	50/box	92 cm 122 cm 152 cm	1065101092 1065101122 1065101152
	FLICKSTICK TRANSPARENT	50/box	92 cm 122 cm 152 cm	1065102092 1065102122 1065102152
	FLICKSTICK WHITE ALUMINIUM	50/box	92 cm 122 cm 152 cm 202 cm	1065111092 1065111122 1065111152 1065111202
	FLICKSTICK SILVER ALUMINIUM	50/box	92 cm 122 cm 152 cm	1065113092 1065113122 1065113152
	FLICKSTICK BLACK ALUMINIUM	50/box	92 cm 122 cm 152 cm	1065116092 1065116122 1065116152
	FLICKSTICK ANTIQUE ALUMINIUM	50/box	92 cm 122 cm 152 cm	1065119092 1065119122 1065119152
	VELCRO HOTEL PROFILE Inside frame fix, to reduce light leakage in combination with Looptape	120 mtr/bundle		3581601600
	LOOPTAPE	25 mtr/roll		3816202020
	CONTRACT BENDING TOOL BASIC (without bending wheel)	1/each		2560000000
	CS/CCS/FMS BENDING WHEEL	1/each		2561000000
	CS BENDING STRIPS For CS track, length: 90 cm (35,4")	1/set		8500000001
	FOR CS ELECTRIC POWERED BENDER. Length 7 meter (23').	1/set		5160600000
	BENDING STAND Stand for contract bending tool	1/each		2560800000
	ELECTRIC POWERED BENDER Available in 230V or 115V To create continous curves and arches minimum radius 50 cm (20")	1/each		1060500000

CS		ARTICLE	PACKING UNIT	ART.NR
●		CS/CCS BENDING WHEELS For Electric Powered Bender. Complete set of 3 wheels.	1/set	2560700000
●		ELECTRIC POWERED RAILCUTTER 230 Volt EU	1/each	1061100000
		REPLACEMENT BLADE For electric powered railcutter.		1061200000
●		FOREST LUBRICANT To lubricate components during assembly.	1/each	5109010000