



## FOREST WAVE Series

The Forest Wave Series is an additional feature to the existing drapery hardware of Forest Group. It can be installed onto all main Forest curtain track systems and gives a special round and fluent design on a curtain.

FOREST EASYSNAP  
FOREST EASYFLEX  
FOREST EASYWAVE

THE WORLD  
BEHIND  
YOUR  
CURTAINS



## FOREST WAVE SERIES

Easysnap  
tape application  
on KS rail

Easyflex  
tape application on DS rail

Give a  
**modern  
and special  
folding  
design** to  
your  
curtains.


## INTRODUCTION

THE FOREST WAVE SERIES ARE AN ADDITIONAL FEATURE OF THE DRAPERY HARDWARE SYSTEMS OF FOREST GROUP. IT COMPLIES FULLY WITH THE CONTEMPORARY DEMAND FOR ROUND AND FLUENT SHAPES IN DECORATIVE INTERIORS.


IT OFFERS NEW POSSIBILITIES FOR APPLICATIONS IN LARGE AND HIGH SPACES, SUCH AS LOBBIES, ENTREES, RECEPTION AREAS, CONFERENCE ROOMS, AUDITORIUMS, MEETING ROOMS, FOOD AND BEVERAGE OUTLETS ETC.

THE SYSTEM CAN BE INSTALLED ONTO ALL FOREST MANUAL, CORDED (EXCEPT CKS) AND MOTORISED TRACKS AND CURTAIN ROD SYSTEMS AND GIVES A MODERN AND SPECIAL FOLDING DESIGN TO THE CURTAIN.

SUCH A MODERN CURTAIN HEADING SYSTEM COMBINED WITH A SUITABLE FABRIC IS GUARANTEED TO BE A REAL EYE-CATCHER IN EVERY ROOM.








The system is designed so that the curtains **maintain their folding effect** from the moment they are dressed



Easyflex  
tape application on DS-XL rail

## WHAT MAKES THE FOREST WAVE SYSTEM SO UNIQUE?

- » The smooth folding effect is always maintained whether the curtains are open or closed.
- » The system is designed so that the curtains maintain their folding effect from the moment they are dressed.
- » The simple, yet stylish design makes the curtains easier to make up.
- » The wave heading stacks back neatly, taking up less space than traditional pleated headings.
- » The glider-cord is not visible when the curtain is fully closed.
- » Easy to take down and re-hang thanks to its detachable carrier-base.
- » Depending on the fullness selected the Easyfold system can be more economical than more traditional curtains. (up to 33% compared to a regular pencil pleat curtain)
- » Can also be used in horizontally-curved tracks. Examples of how Forest tracks can be bent in different situations:




## HOW DOES THE FOREST WAVE SYSTEM WORK?

- » The system is available in two types; **Easysnap with metal snaps** already fixed on the heading tape at a fixed distance, in combination with double sided Easysnap carriers; **Easyflex with pockets on the heading tape**, allowing for a flexible positioning of the hooks, in combination with Easyflex carriers.
- » Specially designed interconnected-gliders are contained within the curtain track.
- » This connection cord limits the extension of the curtain fabric, creating a smooth and continuous folding effect. When opened, the system enables the curtains to stack back neatly and straight.
- » Depending on the fabric type, a regular iron-on hem tape can be used with the Easyfold Tape at the top of the curtain to maintain a smooth appearance.
- » Transparent Easyflex tape with pockets allows for completely variable folds and any fullness desired, from 150% to 350%!
- » Easysnap Tape available in: white, black and transparent, in 10 cm and 15 cm spacing. Fullness options 180%, 200%, 270% and 300%.
- » Both Easysnap and Easyflex can be applied on most Forest curtain track systems.

## WAVE CARRIER AND TAPE REQUIREMENTS

|   | 1 meter     | 2 meter     | 3 meter     | 4 meter     | 5 meter     | 6 meter      | 7 meter      |
|---|-------------|-------------|-------------|-------------|-------------|--------------|--------------|
|   | Qty         | Qty         | Qty         | Qty         | Qty         | Qty          | Qty          |
| <b>60%</b>  |             |             |             |             |             |              |              |
| WAVE BASE CARRIERS 60%, CARRIER DISTANCE 8,0 CM               | 16 carriers | 28 carriers | 40 carriers | 52 carriers | 66 carriers | 78 carriers  | 90 carriers  |
| EASYFLEX TAPE <b>10 CM</b> WAVE DEPTH / EASYSNAP REGULAR TAPE | 160 cm      | 280 cm      | 400 cm      | 520 cm      | 660 cm      | 780 cm       | 900 cm       |
| EASYFLEX TAPE <b>15 CM</b> WAVE DEPTH / EASYSNAP XL TAPE      | 240 cm      | 420 cm      | 600 cm      | 780 cm      | 990 cm      | 1170 cm      | 1350 cm      |
| EASYFLEX TAPE <b>20 CM</b> WAVE DEPTH                         | 320 cm      | 560 cm      | 800 cm      | 1040 cm     | 1320 cm     | 1560 cm      | 1800 cm      |
| CURTAIN STACKING IN OPEN POSITION                             | 23 cm       | 40 cm       | 56 cm       | 74 cm       | 93 cm       | 110 cm       | 127 cm       |
| <b>80%</b>  |             |             |             |             |             |              |              |
| WAVE BASE CARRIERS 80%, CARRIER DISTANCE 6,0 CM               | 20 carriers | 36 carriers | 52 carriers | 70 carriers | 86 carriers | 102 carriers | 120 carriers |
| EASYFLEX TAPE <b>10 CM</b> WAVE DEPTH / EASYSNAP REGULAR TAPE | 200 cm      | 360 cm      | 520 cm      | 700 cm      | 860 cm      | 1020 cm      | 1200 cm      |
| EASYFLEX TAPE <b>15 CM</b> WAVE DEPTH / EASYSNAP XL TAPE      | 300 cm      | 540 cm      | 780 cm      | 1050 cm     | 1290 cm     | 1530 cm      | 1800 cm      |
| EASYFLEX TAPE <b>20 CM</b> WAVE DEPTH                         | 400 cm      | 720 cm      | 1040 cm     | 1400 cm     | 1720 cm     | 2040 cm      | 2400 cm      |
| CURTAIN STACKING IN OPEN POSITION                             | 26 cm       | 51 cm       | 75 cm       | 100 cm      | 122 cm      | 144 cm       | 168 cm       |
| <b>100%</b>   |             |             |             |             |             |              |              |
| WAVE BASE CARRIERS 100%, CARRIER DISTANCE 5,4 CM              | 22 carriers | 40 carriers | 58 carriers | 78 carriers | 96 carriers | 114 carriers | 132 carriers |
| EASYFLEX TAPE <b>10 CM</b> WAVE DEPTH / EASYSNAP REGULAR TAPE | 220 cm      | 400 cm      | 580 cm      | 780 cm      | 960 cm      | 1140 cm      | 1320 cm      |
| EASYFLEX TAPE <b>15 CM</b> WAVE DEPTH / EASYSNAP XL TAPE      | 330 cm      | 600 cm      | 870 cm      | 1170 cm     | 1440 cm     | 1710 cm      | 1980 cm      |
| EASYFLEX TAPE <b>20 CM</b> WAVE DEPTH                         | 440 cm      | 800 cm      | 1160 cm     | 1560 cm     | 1920 cm     | 2280 cm      | 2640 cm      |
| CURTAIN STACKING IN OPEN POSITION                             | 30 cm       | 57 cm       | 82 cm       | 110 cm      | 136 cm      | 162 cm       | 186 cm       |



**60%** = 8,0 cm carrier distance  
**80%** = 6,0 cm carrier distance  
**100%** = 5,4 cm carrier distance



Wave depth 10,75 cm or 15,75 cm with Easysnap tape and carriers. Ceiling space required 10,75 cm or 15,75.

Wave depth fully variable with Easyflex tape and carriers. Ceiling space required is equal to the spacing between the hook placement in the Easyflex tape.

## WORKROOM INSTRUCTIONS

Forest Group understands that many workrooms will have their own method of manufacturing curtains. This guide is intended to give you a suggested make up method so you get the best from the Forest Group Wave system. When using your own fabrics we suggest that sample curtains are made to determine whether;

1. It is suitable for use with Wave, and,
2. If so, which size of Fold is most appropriate.
3. How many Wave carriers are exactly required to make up a particular size track.

In general, stiffer fabrics tend not to lend themselves well to a wave pleat since they struggle to hold the soft curves for the drop of the curtain.

Once you have confirmed your fabric is suitable you may want to consider using lead weight tape and curtain side weights for an improved finished appearance. The maximum weight that the standard Easysnap and Easyflex tape can carry is 10 kg per meter of track. However, individual track weight restrictions still apply. Easysnap Roller and Easyflex Roller have much higher weight limitations, consult the catalogue to see individual system weight graphs. This guide is based on using the recommended wave component parts detailed in this brochure.

## FOREST EASYFLEX

The Easyflex wave solution works with a 7,7 cm high transparent tape with pockets, one roll of 100 meters has two lines of pockets on the top and the bottom of the tape. In the pockets you can fit the Easyflex hooks, which are the lower part of the Easyflex carriers. The carriers are available in 60% (8,0 cm), 80% (6,0 cm) and 100 % (5,4 cm) width. Easyflex endhooks are used to connect the curtain to the master carriers. The base of the first master carrier can be fixed onto the master carrier, to make sure the master carrier takes the curtain along with it.

## FOREST EASYSNAP

The Easysnap wave solution works with a range of snap tapes, in white, black or transparent versions. The stainless steel snaps are placed at fixed distances in the tape, with a distance from center to center of 10,75 or 15,75 cm. The carriers are available in 60% (8,0 cm), 80% (6,0 cm) and 100 % (5,4 cm) width. The snaptool can be used to add snaps to the tape wherever required, for increased stability to the curtain when fixing it on an overlap arm or return pulley. The base of the first master carrier can be fixed onto the master carrier, to make sure the master carrier takes the curtain along with it.



# FOREST WAVE SERIES

## TRACK OPTIONS

The Forest Wave System can be installed onto all Forest Manual, Corded (except CKS) and Motorised tracks and curtain rod systems.

For specific wave-parts of the Forest curtain track system you would like to use please refer to the relevant Forest track brochure.



## FOR USE IN

Hotel, motels, residences, hospitals, restaurants or at any location where a continuous, gentle fold drapery is requested.

## HOOK FITTER TOOL

The Hook fitter tool is simple and easy to use, but almost a must when fitting any drapery. No more endless counting pockets in the workroom. By using the Forest Hook Fitter Tool, you are saving valuable time while adding accuracy and efficiency.




## ONLINE EASYFLEX CALCULATION TOOL

On the Forest website it is possible to calculate your requirements of Easyflex carriers and Easyflex tape for certain track sizes.

By completing the online form you will know how many carriers are required for a certain track size, with matching heading tape, finally summarized by the curtain fullness that will be achieved. To start your calculation go to [www.forestgroup.com](http://www.forestgroup.com). Choose 'Services'. Under tools you will find the Easyflex Calculation tool.





| EASYWAVE | EASYFLEX | EASYSNAP | GENERAL FES COMPONENTS  | ARTICLE  | PACKING UNIT  |   | ART.NR   |
|----------|----------|----------|---|--|---------------|---|--|
| ●        | ●        |          |    | EASYFLEX / WAVE TAPE 77MM SINGLE POCKET  | 100mtr/roll   | transparent   | 4810700017   |
|          |          |          |   | EASYFLEX / WAVE TAPE 77MM DOUBLE POCKET  | 100mtr/roll   | transparent black   | 4810700016<br>4810706016                             |
|          |          |          |   | WAVE BASE 60%  | 500/roll      | white black   | 4812001060<br>4812006060                             |
|          | ●        | ●        |    | WAVE BASE 80%  | 500/roll      | white black   | 4812001080<br>4812006080                             |
|          |          |          |   | WAVE BASE 100%   | 500/roll      | white black   | 4812001100<br>4812006100                             |
|          | ●        | ●        |    | WAVE ROLLER BASE 60%, 8,0 cm<br>Can only be used in CS and CRS28mm   | 500/roll      | white   | 4812001260   |
|          |          |          |   | WAVE ROLLER BASE 80%, 6,03 cm<br>Can only be used in CS and CRS28mm  | 500/roll      | white   | 4812001280   |
|          | ●        |          |    | EASYFLEX HOOK  | 500/roll      | white black   | 4812801000<br>4812806000                             |
|          |          | ●        |    | EASYSNAP PENDANT FOR CURTAIN HOOK  | 500/box       | white black   | 4812001001<br>4812006001                             |
| ●        |          |          |   | EASYWAVE CARRIER 60%, 8cm  | 1000/roll     | white black   | 4812101060<br>4812106060                             |
|          |          |          |   | EASYWAVE CARRIER 80%, 6 cm   | 1000/roll     | white black   | 4812101080<br>4812106080                             |
|          |          |          |   | EASYWAVE CARRIER 100%, 5,4 cm  | 1000/roll     | white black   | 4812101100<br>4812106100                             |
|          |          |          |   | ALSO AVAILABLE AS FLAT SERIE<br>Can only be used in CKS and CRS20mm<br>Same article.nr as EASYWAVE CARRIER with -F behind the article number |               |   |  |
| ●        | ●        |          |  | EASYWAVE HOOK TRANSPARARENT<br>(Endhook for Easyflex: for usage on master carrier and pulley)  | 1000/box      | white black   | 4812801010<br>4812806010                             |
|          |          | ●        |  | WAVE TAPE<br>Regular spacing, 10,75cm, 850 snaps on a roll   | 91,44mtr/roll | normal white<br>heavy-duty white<br>normal black<br>transparent | 4810900000<br>4810900010<br>4816000000<br>4810700000 |
|          |          |          |   | WAVE TAPE<br>Heavy-duty XL, 15,75cm, 580 snaps on a roll   |               | white<br>transparent  | 4810900015<br>4810700015                             |
|          |          | ●        |  | EASYSNAP 2 SIDED CARRIER<br>To be used in combination with FES BASE  | 500/box       | white black   | 4812001000<br>4812006000                             |
|          |          | ●        |  | EASYSNAP METAL MALE SNAPS  | 1000/box      | white   | 4810900001   |
|          |          |          |   | EASYSNAP METAL FEMALE SNAPS  | 1000/box      |   | 4810900002   |
|          |          |          |   | EASYSNAP METAL RIVAT BACK<br>for male/female snaps   | 1000/box      |   | 4810900003   |
|          |          | ●        |  | EASYSNAP TOOL<br>with moulds   | piece         | white   | 4870900000   |
| ●        | ●        |          |  | EASYFLEX HOOK FITTER<br>Tool to count the pockets  | piece         |   | 9900000017   |

All other specific track components for wave can be found in the relevant Forest track brochure.

## EXPERIENCE AND QUALITY

The introduction of the world's first clickable curtain track system KS® Klick System and the Smart Klick® technology was the starting point for Forest Group to become one of the world's most reputable manufacturers of high end window treatment solutions. Over 25 years later Forest Group curtain track systems still represent the industry's standard due to ongoing innovation and constant focus on the highest quality.

## WARRANTY

Whether sophisticated electric curtain systems, decorative channel rod systems or plain tracks, the combination of high end materials and precise manufacturing make it possible for Forest Group to provide a 10 year warranty.

Go to our website  
**forestgroup.com**



PRODUCT BROCHURES - TECHNICAL SHEETS - REFERENCES - VIDEOS  
PRODUCT ADVISOR - MEASURE AND CHECK TOOL - EASYFLEX CALCULATION



HEADQUARTERS  
Forest Group (Nederland) BV  
The Netherlands  
+31 (0) 570 622850  
[www.forestgroup.com](http://www.forestgroup.com)  
[info@forestgroup.com](mailto:info@forestgroup.com)

**FOREST**  
— DRAPERY HARDWARE —